American Heart Journal

The international publication for the study of the heart and circulation

Editor in Chief: **DEAN T. MASON, M.D.**

Managing Editor: **LESLIE J. SILVERNAIL-METCALF**

Editorial Board

W. Gerald Austen, M.D., *Boston*
Najam A. Awan, M.D., *Davis*
Daniel S. Berman, M.D., *Los Angeles*
J. Thomas Bigger, M.D., *New York*
William J. Bommer, M.D., *Davis*
Lawrence I. Bonchek, M.D., *Milwaukee*
Lawrence S. Cohen, M.D., *New Haven*
Lawrence H. Cohn, M.D., *Boston*
John J. Collins, Jr., M.D., *Boston*
C. Richard Conti, M.D., *Gainesville*
Anthony N. DeMaria, M.D., *Lexington*
Mary Allen Engle, M.D., *New York*
Harvey Feigenbaum, M.D., *Indianapolis*
Victor F. Froelicher, M.D., *San Diego*
Paul C. Gillette, M.D., *Houston*
John F. Goodwin, M.D., *London*
Antonio M. Gotto, Jr., M.D., *Houston*
Rolf M. Gunnar, M.D., *Maywood*
W. Proctor Harvey, M.D., *Washington, D.C.*
Richard H. Helfant, M.D., *Philadelphia*
Walter L. Henry, M.D., *Irvine*
J. O'Neal Humphries, M.D., *Columbia*
J. Willis Hurst, M.D., *Atlanta*
Mark E. Josephson, M.D., *Philadelphia*
William B. Kannel, M.D., *Framingham*
Norman M. Kaplan, M.D., *Dallas*
Samuel Kaplan, M.D., *Cincinnati*
Joseph A. Kisslo, M.D., *Durham*
Garrett Lee, M.D., *Miami*
Michael Lesch, M.D., *Chicago*
Floyd D. Loop, M.D., *Cleveland*
Reginald I. Low, M.D., *Sacramento*
Robert I. Levy, M.D., *Boston*
Dan G. McNamara, M.D., *Houston*
Richard R. Miller, M.D., *Oakland*
Robert A. O'Rourke, M.D., *San Antonio*
Joseph K. Perloff, M.D., *Los Angeles*
Bertram Pitt, M.D., *Ann Arbor*
Charles E. Rackley, M.D., *Washington, D.C.*
Thomas A. Riemenschneider, M.D., *Cleveland*
Robert L. Reis, M.D., *Miami*
William C. Roberts, M.D., *Bethesda*
David J. Sahn, M.D., *Tucson*
Robert C. Schlant, M.D., *Atlanta*
Pravin M. Shah, M.D., *Los Angeles*
Walter Sommerville, M.D., *London*
James T. Willerson, M.D., *Dallas*
David O. Williams, M.D., *Providence*
Roger A. Winkle, M.D., *Stanford*
Richard M. Zakheim, M.D., *Miami*
Robert F. Zelis, M.D., *Hershey*
Douglas P. Zipes, M.D., *Indianapolis*

VOLUME 105

JANUARY-JUNE 1983

VOLUME 105

COPYRIGHT© 1983 BY

THE C.V. MOSBY COMPANY

All rights reserved

Printed in the United States of America

Author index*

A

Abate C, 227
Abdulla A, 531
Abitbol H, 227
Abraham KA, 706
Abrams J, 848
Agmon J, 6
Ahmad S, 1037 (BC)
Aisner SC, 513 (BC)
Alam M, 456
Alcan KE, 527
Allen HD, 281
Alpan G, 408, 603
Alpert JS, 386
Amon KW, 267
Anderson CM, 342 (L)
Anderson DJ, 855 (BC)
Anderson GH Jr, 106
Antico L, 1036 (BC)
Anzola E, 685
Arditti A, 6
Arensman FW, 517 (BC)
Arnett EN, 513 (BC)
Artman M, 471
Ashburn WL, 802, 940
Asinger RW, 393
Atlas D, 262
Attie F, 281

B

Badke FR, 267
Baim DS, 542
Baker BJ, 12, 611
Bamrah VS, 878
Bankoff MS, 1019
Barlow JB, 1043 (L)
Barrio JR, 492
Barron JV, 281
Bartolomei C, 870 (BC)
Bass J, 316
Bass M, 885
Bassan MM, 223, 234
Bauernfeind R, 357, 928, 973
Baumgartner WA, 440
Becker LC, 32
Beder SD, 697
Behrendt DM, 334 (BC)
Beilis P, 227
Beller GA, 1009
Belsué FV, 165 (L)
Benhorin J, 262, 323 (BC)
Benito F, 1033 (BC)
Bennett V, 826
Benson DW, Jr., 514 (BC)
Benvenuti DJ, 346
Berger B, 26
Berger BE, 1035 (BC)
Berman D, 531
Berman JA, 60
Bernard Y, 901
Bernstein K, 614
Berra R, 402
Bertholet M, 859 (BC)
Bhaktaviziam A, 659, 952
Bharati S, 461
Bhargava V, 995
Bigger JT, Jr., 210
Bittl JA, 515 (BC)
Blackburn H, 128
Blair H, 843
Blanco MV, 873 (L)
Blank DW, 697
Bloor CM, 521
Bolli R, 37
Boltwood CM, 505 (BC)
Bonaduce D, 865 (BC)
Bonchek LI, 521 (L)
Bonow RO, 511 (BC)
Borrello G, 697, 1047 (L)
Boughner DR, 980
Bowen TE, 835
Bowyer K, 428
Bragg-Remschel DA, 342 (L)
Brammell HL, 777
Bruno MS, 527
Brys R, 1043 (L)
Buceta JE, 873 (L)
Buda AJ, 744
Bulkley BH, 481
Burdine JA, 66
Byrum CJ, 334 (BC)

C

Califano JE, 227
Camm J, 169
Campion DS, 510 (BC)
Cappello G, 165 (L)
Carbonin PU, 1036 (BC)
Caretto WJ, 98
Carey PH, 802
Carillo SV, 874 (L)
Carter BL, 1019
Carter C, 674
Castellanos H, 227
Castelli W, 417
Castiglioni M, 870 (BC)
Cats VM, 688
Chatterjee K, 855 (BC)
Chava NR, 695
Chen JTT, 514 (BC)
Cherian G, 505 (BC), 659, 952
Cherian KM, 706
Chesler E, 1032
Cheung W-M, 915
Chiariello M, 680
Chun PKC, 835
Cipriano PR, 542
Ciró E, 145 (BC)
Cocchi A, 1036 (BC)
Cocco G, 342 (L)
Cody RJ, 575, 1025
Cohen IM, 1002
Cohen MV, 325 (BC)
Cohn PF, 60
Condorelli M, 680, 865 (BC)
Conti JB, 651
Conti R, 651
Corrigan E, 181
Costello D, 53, 243
Cottrill CM, 113
Covarrubias E, 1038 (BC)
Cragg DBJ, 769
Crawford MH, 267
Cremonesi G, 756
Croft CH, 153 (BC)
Crouse L, 855 (BC)

D

Daffara G, 756
Dale J, 103
Dalen JE, 386
Daly L, 249
Daly M, 372
Danchin N, 856 (BC)
Danoviz J, 906
David AS, 873 (L)
David D, 295, 820
David GK, 688
de Champlain J, 422
De Feyter PJ, 333 (BC)
de Jong JP, 333 (BC)
De Keyser R, 1043 (L)
Delbaum AR, 690
Demoulin JC, 859 (BC)
DePasquale NP, 527
De Puey EG, 66
Desoutter P, 883
Dhurandhar R, 722
Dick M, 334 (BC)
Dienstl F, 642
Dietrich P, 722
Di Gennaro M, 1036 (BC)
Ditchey RV, 727
Doherty JE, 12
Dreifus LS, 295
Drexel H, 642
Dubbin JD, 744
Dubner SJ, 691
Dunkman WB, 861 (BC)
Durairaj M, 952
Durant NN, 510 (BC)
Duren DR, 688
Durrer D, 688, 798
Dworzak E, 642
Dwyer RM, 885

E

Eckfeldt JH, 1032 (BC)
Edelstein J, 215
Egol AB, 872 (L)
Ehsani AA, 889
Eich R, 106
Elencwajg B, 691
Elkayam U, 148 (BC), 946
Elliott LP, 165 (L)
El-Maraghi NRH, 258
Elmer PJ, 128
Endo T, 915
Epstein SE, 37, 911
Escudero J, 161 (BC)
Escudero X, 161 (BC)
Evans D, 417

F

Faivre G, 856 (BC)
Faria DB, 915
Farley L, 422
Farr MJ, 873 (L)
Farrell PW, 548
Feldman RL, 651
Ferrara N, 865 (BC)
Ferrer PL, 826
Fisher ML, 32

*January, pp. 1-180; February, pp. 181-356; March, pp. 357-530; April, pp. 531-710; May, pp. 711-884; June, pp. 885-1080. *Key:* In this index, (BC) = brief communication and (L) = letter to the Editor.

Flannery EP, 835
Flessas AP, 230, 239
Flowers CI, 873 (L)
Forrest JB, 769
Franciosa JA, 861 (BC)
Franklin KW, 575
Friedman JP, 699
Friedman MJ, 81, 372
Fujii T, 1029 (BC)
Fujimoto T, 189, 201, 966
Fujita K, 619
Fujita M, 619
Fukuhara J, 1041 (BC)

G

Gallego FG, 1033 (BC)
Gammill J, 12
Gang ES, 210
Garcia R, 456
Garson A, Jr, 843
Gascón P, 511 (BC)
Gazzaniga A, 143 (BC)
Gefen J, 820
Gerber KH, 802, 940
Gewirtz H, 72
Gillette PC, 16, 843
Gillum RF, 128, 316
Gilman ME, 872 (L)
Gimeno GM, 691
Ginsburg R, 542
Glaser J, 343 (L)
Glover MU, 98
Goldberg AP, 889
Goldberg S, 26
Goldberg SD, 327 (BC)
Goldberg SJ, 281
Goldman S, 81, 372
Goldstein RE, 37
Goldstein S, 456
Gomez O, 128
Gonzalez R, 461
Gonzalez-Lavin L, 699
Goodwin JF, 697
Gordon T, 667
Gottlieb S, 262, 323 (BC)
Graham I, 249
Graham TP, Jr, 471
Granot H, 323 (BC)
Green CE, 165 (L)
Greenblatt DJ, 1025
Greene HL, 717
Greengart A, 738
Greenspon AJ, 26
Grenadier E, 281, 408, 603
Grose R, 325 (BC), 445
Gross BW, 717
Guerrero J, 820
Guimarães AC, 287
Gunnar RM, 906
Gutgesell HP, 697

H

Hafer JG, Jr, 872 (L)
Hagan AD, 98
Hagashima H, 1041 (BC)
Hagberg JM, 889
Haïat R, 883
Hall RJ, 66
Hamamoto H, 189, 201, 966
Hamer A, 921
Hamer AWF, 520, 629
Hammill SC, 329 (BC)
Hansen H, 492
Hanyu I, 988
Haraoka S, 1041 (BC)
Hasegawa T, 436
Hattori M, 587, 593
Haupt MT, 763
Hauser DJ, 1035 (BC)
Heath GW, 889
Hecker SP, 699
Hees P, 334 (BC)
Heger JJ, 1
Hellstrom HR, 1045 (L)
Hennekens CH, 417
Henry R, 372
Henry WL, 946
Henteleff P, 44
Henze E, 492
Henzlová M, 567
Herman I, 885
Heyndrickx GR, 1043 (L)
Hickey N, 249
Higgins CB, 802, 940
Hill JA, 651
Hill N, 106
Hillis LD, 1049
Hillis S, 689
Hinderliter JM, 889
Hodges M, 393
Hoff JV, 973
Hoff R, 287
Holder D, 258
Holland K, 711
Hollander G, 738
Hooper W, 243
Horalek C, 895
Horwitz LD, 777
Huang S-C, 492
Hubert H, 311
Hungate EJ, 722
Hunt D, 921
Hussein H, 163 (BC), 885

I

Ichimaru Y, 875 (L), 934
Idle JR, 159 (BC)
Ikeda RM, 163 (BC), 885
Ireland AC, 873 (L)
Iseri LT, 346, 946
Ishikawa S, 587, 593
Isner JM, 1019
Ito A, 587
Ito I, 273
Ito T, 587
Iusim S, 223

J

Jacob AS, 872 (L)
Jacobs DR, 128
Jacobson J, 151 (BC)
Jacobsson L, 614
Jairaj PS, 659, 952
James TN, 481
Jamieson SW, 440
Jarchovsky J, 223
Jebavý P, 567
Jeffery RW, 128
Jick H, 1025
John S, 659, 952
John TA, 706
Johnson GL, 113
Johnson SM, 1049
Johnston WD, 946
Jones RH, 428
Jordaens L, 1043 (L)
Juma Z, 811

K

Kaba H, 875 (L)
Kaburagi T, 988
Kahana L, 408
Kambara H, 351
Kane JJ, 611
Kannel WB, 311, 667
Kaplan S, 517 (BC)
Kaplinsky E, 820
Karin A, 12
Karlsberg RP, 402
Karpawich PP, 16
Kass EH, 417
Katayama K, 1029 (BC)
Kato N, 619
Kato R, 587, 593
Kaushik VS, 868 (BC)
Kawai C, 351
Kawasaki T, 1050
Keen R, 492
Keidar S, 408, 603
Kennelly BM, 153 (BC)
Kerber RE, 698
Kereiakes DJ, 855 (BC)
Keren A, 156 (BC), 262, 323 (BC)
Kerin NZ, 215
Kerkkamp HJJ, 333 (BC)
Kessler KM, 685
Khair GZ, 878
Kinoshita S, 1050
Kirchmair W, 642
Kirks DR, 514 (BC)
Kishimoto C, 988
Kitazume H, 134
Klein HO, 820
Kloster FE, 690
Kmetzo JJ, 295
Koch FH, 542
Koenig W, 863 (BC)
Koga Y, 316
Koike Y, 619
Koiwaya Y, 339 (BC)
Kong Y-S, 554
Koseki S, 273
Kostuk WJ, 980
Kotchen JM, 113
Kotchen TA, 113
Kotoda K, 436
Koudelková E, 567
Kowey PR, 366
Kozina J, 885
Kracoff O, 6
Kralios AC, 580
Kramer JR, 134, 344 (L)
Krebs AR, 873 (L)
Krishnaswami H, 952
Krishnaswami S, 659, 952
Król R, 422
Kubicek W, 316
Kuida H, 580
Kumada T, 1029 (BC)
Kusachi S, 1041 (BC)
Kusukawa R, 1029 (BC)

L

Laddu A, 722
Lam W, 119, 357, 928
Lampert S, 181
Landmark KH, 103
Lang R, 820
Laragh JH, 575
Lee G, 163 (BC), 722, 885
Lee WR, 1038 (BC)
Leguizamón J, 691
Lehman JS, 287
Leier CV, 176
Lespagnard J, 859 (BC)
Lev M, 461
Lever HM, 344 (L)
Levy MN, 215
Levy PS, 119

Lew EA, 311
Lewin RF, 6
LeWinter MM, 243, 727, 940
Lewis RM, 16
Lewis RP, 176
Ley TJ, 511 (BC)
Libhaber C, 820
Lichstein E, 738
Lie KI, 688, 798
Lima CO, 281
Litchfield R, 698
Little WC, 507 (BC)
Littmann L, 154 (BC)
Livelli FD, Jr., 210
Lockhart JDF, 159 (BC)
Loeb HS, 906
Lombardi F, 958
Louridas G, 215
Lown B, 181, 366, 958
Lubbe WF, 331 (BC)
Lucchesi BR, 711
Lui HK, 722

M

Macdonald IL, 744
Macfarlane P, 689
Maeda S, 1029 (BC)
Magorien RD, 176
Magrini F, 90
Maguire JH, 287
Mallis G, 60
Malusardi R, 402
Mancini GBJ, 802
Mancini J, 243
Mandel WJ, 189, 201, 520, 629, 966
Manyari DE, 980
Marcus HS, 830
Mardelli J, 295
Marmur A, 408
Maroko PR, 26, 915
Maron BJ, 145 (BC)
Martinez J, 119
Martinotti R, 756
Mason DT, 163 (BC), 722, 885
Mason PA, 995
Massengill J, 12
Massumi R, 303
Mathew B, 21
Matos J, 181
Matsuda M, 273
Matsuda Y, 134, 1029 (BC)
Matsuzaki M, 1029 (BC)
Mattsson S, 614
Mauritson DR, 1049
Maw M, 1038 (BC)
McAdam KPWJ, 1019
McAnulty JH, 690
McCabe CH, 749
McCullen A, 966
McFadden PM, 699
McGee D, 674
McKean HE, 113
McLean JA, 331 (BC)
McManus BM, 327 (BC)
McNamara DG, 16, 697, 843
McQueen MJ, 258
Mehta J, 895
Mehta P, 895
Mellino M, 344 (L)
Meltzer P, 148 (BC)
Melvin N, 966
Michelson EL, 295
Mikell FL, 393
Milei J, 873 (L)
Miller A, 906
Miller DC, 440
Milz MM, 642
Miwa K, 351
Mizuno A, 436
Mookherjee S, 106
Morris AL, 44
Morrow RH, 287
Most AS, 72
Mott KE, 287
Muir JR, 151 (BC)
Mulcahy R, 249
Mullins CE, 697
Muniz TM, 287
Murphy ML, 611
Murray GC, 1009
Muza B, 26
Myerburg RJ, 685
Myhre E, 103

N

Naccarelli GV, 1
Nademanee K, 167 (L)
Nadiminti V, 738
Nagasawa K, 783
Naito H, 1029 (BC)
Naito M, 295
Nakamura M, 339 (BC)
Nalcioglu O, 946
Nanji AA, 697
Neimann JL, 856 (BC)
Nelson T, 243
Nernberg V, 44
Nguyen T, 331 (BC)
Niarchos AP, 90
Nies AS, 777
Nishihara M, 1041 (BC)
Nishino T, 619
Nomura A, 619

O

Oates NS, 159 (BC)
Ockene IS, 386
O'Connor DT, 1002
Oddone A, 402
Ogata C, 163 (BC)
Ogawa H, 1029 (BC)
Ogawa T, 830
Ohley W, 72
Oliver J, 1033 (BC)
O'Neill W, 249
Ong SH, 868 (BC)
Opie LH, 153 (BC)
Orlandi M, 402
Orr SA, 744
Otsuka K, 875 (L), 934
Ovitt TW, 81, 372
Oyer PE, 440

P

Palant A, 408, 603
Palileo E, 357, 928, 973
Parrish MD, 471
Parsons K, 148 (BC)
Parziale M, 756
Pasternac A, 422
Pastore JO, 1019
Patterson E, 711
Paulsen W, 980
Pavelec RS, 995
Pepine CJ, 651
Perloff JK, 510 (BC), 515 (BC)
Perna GP, 1036 (BC)
Peshock RM, 1049
Peter CA, 428
Peter T, 189, 201, 629, 966
Peterson K, 940
Petranto M, 915
Petretta M, 865 (BC)
Peyregne EAJ, 1045 (L)
Phelps ME, 492, 522
Philippart M, 783
Pichler M, 531
Pickoff AS, 826
Pietras RJ, 357, 928
Piñeiro DJ, 873 (L)
Plavnick L, 223
Plotnick GD, 32
Podrid PJ, 181
Porter CJ, 843
Porterfield J, 181
Postiglione M, 865 (BC)
Potter RD, 21
Prineas RJ, 128, 316
Pritchett ELC, 329 (BC)
Proudfit WL, 134
Prystowsky EN, 1
Puddu PE, 422
Purves P, 980
Puschendorf B, 642

Q

Quinteiro R, 691

R

Rackow EC, 763
Raeder E, 181
Rahilly GT, 1
Raimondi W, 402
Ramaswamy K, 1019
Randazzo A, 756
Reader C, 1045 (L)
Reed D, 674
Reeves RC, 507 (BC)
Reiffel JA, 210
Reiter MJ, 329 (BC)
Reitz BA, 440
Rengo F, 865
Ribeiro LGT, 915
Riccioni N, 870 (BC)
Rich S, 119
Roberts WC, 327 (BC), 513 (BC), 788
Robertson D, 901
Robertson RM, 901
Robitaille NM, 316
Rocchini AP, 334 (BC)
Rodan BA, 514 (BC)
Roeck W, 946
Rogers EW, 507 (BC)
Romano E, 865 (BC)
Roos L Jr, 44
Roos NP, 44
Rose HB, 783, 830
Rosen KM, 119, 357, 928, 973
Rosenfeld A, 372
Rosenthal SJ, 542
Rosner B, 417
Ross J Jr, 995
Ross PJ, 151 (BC)
Rossi MA, 874 (L)
Rothbart ST, 165 (L)
Rowe DW, 66
Rubin P, 689
Ryan TJ, 230, 239, 749

S

Sabbah HN, 380
Sable DL, 777
Sahn DJ, 281
Saigusa M, 436
Saito D, 1041 (BC)

Saito H, 619, 875 (L)
Saksena S, 165 (L), 337 (BC), 811
Sakurai M, 619
Salcedo EE, 344 (L)
Salem DN, 1019
Samtoy LM, 98
Sanders M, 738
Santinelli V, 520 (L), 680
Sardella F, 756
Sareli P, 820
Sato T, 875 (L)
Sato Y, 875 (L), 934
Sawada K, 587, 593
Scagliotti D, 973
Schechter E, 554
Schelbert HR, 492, 522
Schinz AM, 863 (BC)
Schoeneberger A, 181
Schon HR, 492
Schroeder JS, 542
Schubert E, 12
Schwartz DC, 517 (BC)
Sclarovsky S, 6
Scovil JA, 611
Sears GK, 717
Segni ED, 820
Seibert A, 946
Seino Y, 783, 830
Selin C, 492
Sequeira R, 685
Serafini AN, 685
Seto K, 875 (L)
Shabetai R, 243, 995
Shah PK, 531
Shah PM, 505 (BC)
Shah RR, 159 (BC)
Shand DG, 329 (BC)
Shannon C, 843
Shapiro MR, 325 (BC)
Shearer D, 72
Sheehan FH, 37, 911
Sheehan MW, 777
Sheikh A, 357
Sheikh M, 1038 (BC)
Sheikhzadeh A, 1043 (L)
Sheinman M, 461
Shellock F, 531
Sherlock I, 287
Shine KI, 522
Shirato K, 995
Sims FH, 560
Sinaiko A, 316
Singh BN, 167 (L), 531
Singh RN, 1046 (L)
Sloman G, 921
Slotkoff LM, 1038 (BC)
Slutsky RA, 53, 243, 802, 940
Smith RL, 159 (BC)
Smulyan H, 106
Soler P, 826
Solomon N, 445
Sones FM Jr, 134
Sonnemaker RE, 66
Sopko G, 316
Sotillo J, 1033 (BC)
Sotohata I, 587, 593
Soumagne D, 859 (BC)
Spindola-Franco H, 325 (BC), 445
Stack R, 329 (BC)
Stanislao M, 680
Stanislawsky E, 161 (BC)
Stein PD, 380
Steingo L, 1043 (L)
Stemmermann G, 674
Stern L, 1049
Stern S, 156 (BC), 262, 323 (BC)
Stertzer SH, 527
Stinson EB, 440
Stobbe D, 163 (BC)
Stoltz J-P, 883
Strasberg B, 6, 357, 928, 973
Strauss HD, 744
Streeten DHP, 106
Suárez LD, 1045 (L)
Sugishita Y, 273
Sukumar IP, 659, 952
Sullivan MJ, 72
Sung RJ, 811
Svenson RH, 154 (BC)
Swan HJC, 531, 830
Swiryn S, 357, 928, 973

T

Takano T, 830
Takatsu Y, 988
Takayama S, 988
Tamagni F, 402
Tanahashi Y, 593
Taylor J, 417
Techlenberg P, 513 (BC)
Tei C, 505 (BC)
Temkin LP, 81
Theis J, 163 (BC)
Thisse JY, 856 (BC)
Tobis JM, 946
Todd MH, 769
Toltzis RJ, 511 (BC)
Tomimoto K, 988
Tommasini G, 402
Toyama J, 587, 593
Triche TJ, 327 (BC)
Tristani FE, 878
Trongé JE, 691
Tsagaris TJ, 580
Tsuzuki J, 587, 593
Tubau JF, 422, 940
Tzivoni D, 156 (BC), 262, 323 (BC)

U

Uhl GS, 548
Ulmsten U, 614
Unverferth DV, 176
Urban PL, 26
Uthaman CB, 952

V

Valdes-Cruz LM, 281
Valle R, 1036 (BC)
Van Kerckvoorde L, 1043 (L)
Vardan S, 106
Verba J, 243
Verheugt FW, 698 (L)
Vermeulen A, 798
Verrier RL, 366, 958
Vieweg WVR, 98
Vijayaraghavan G, 659
Virmani R, 788
Vohra J, 921
Vyden JK, 783, 830

W

Walinsky P, 26, 1047 (L)
Walker AM, 1025
Wallsh E, 527
Walsh J, 72
Ward DE, 169
Ward-Booth P, 689
Warner R, 106
Warren SE, 98, 1002
Watkins J, 53
Waugh RA, 329 (BC)
Weiner DA, 749
Weir EK, 1032 (BC)
Weiss E, 820
Werner JA, 717
Weesner KM, 334 (BC)
Weiler-Ravell D, 234
Weiner BH, 386
Weiner P, 223
Whinnery JE, 732
Wilen MM, 861 (BC)
Willett W, 417
Williams GW, 134
Williams JF Jr, 21
Wilson MF, 554
Winkle RA, 342 (L)
Winniford MD, 1049
Wise JR Jr, 693
Wong M, 505 (BC)
Wynne J, 60

Y

Yamaguchi T, 273
Yamamoto K, 339 (BC)
Yanaga T, 875 (L), 934
Yano K, 674
Yasuda H, 619
Yasuhara K, 1041 (BC)
Yasui S, 587
Yokoyama S, 988
Yoshida H, 1041 (BC)
Yoshimatsu K, 875 (L)
Yoshino F, 1029 (BC)

Z

Zalman F, 510 (BC)
Zinner A, 16
Zipes DP, 1

Subject index*

A

Abnormal septal motion, postoperative (Verheugt), 698 (Letter)
Reply (Kerber and Litchfield), 698
Abnormalities of the coronary arteries in Whipple's disease (James and Bulkley), 481
Acceleration and treadmill stress testing, dysrhythmia comparison in apparently healthy males during and after (Whinnery), 732
Acebutolol, oral, reduction of ventricular ectopic beats with: a double-blind, randomized crossover study (Lui et al.), 722
Adolescence and childhood, congestive heart failure in: recognition and management (Artman, Parrish, and Graham), 471
Adolescent(s) and young adults, blood pressure related echocardiographic changes in (Johnson et al.), 113
ventricular tachycardia associated with a left ventricular apex sump aneurysm in an (Weesner et al.), 334 (Brief comm.)
Afterload and preload, elevated, effects of nitriprusside-induced reduction of on global and regional ventricular function in acute myocardial infarction (Shah et al.), 531
Agranulocytosis due to new sustained-release procainamide (Berger and Hauser), 1035 (Brief comm.)
Alcoholism, acute and chronic, serum creatine kinase isoenzyme MB in (Eckfeldt, Weir, and Chesler), 1032 (Brief comm.)
Alpha-adrenergic receptor stimulation on ventricular electrical properties in the normal canine heart, effect of (Kowey, Verrier, and Lown), 366
Ambulatory ECG, spontaneous reversion on in the absence of heart disease, ventricular fibrillation with (Dubner et al.), 691 (Brief comm.)
ST segment monitoring (Cocco), 342 (Letter)
Reply (Bragg-Remschel, Anderson, and Winkle), 342
Amiodarone, antiarrhythmic efficacy of in ventricular tachycardia, evaluation of (Saksena, Rothbart, and Cappello), 165 (Letter)
Reply (Nademanee and Singh), 167
electrophysiologic actions of (Santinelli), 520 (Letter)
Reply (Hamer and Mandel), 520
-induced polymorphous ventricular tachycardia (Sclarovsky et al.), 6
Amrinone administration, long-term, in congestive heart failure, adverse effects of (Dunkman, Wilen, and Franciosa), 861 (Brief comm.)
therapy in congestive cardiomyopathy (Reader, Peyregne, and Suárez), 1045 (Letter)
Anemia, iron deficiency, norepinephrine and cardiac hyperrtrophy in (Rossi and Carillo), 874 (Letter)
Aneurysm, apical, LV, and aortic valve stenosis and/or rupture: real or potential complications of persistent LV systolic hypertension after acute myocardial infarction (Roberts et al.), 513 (Brief comm.)
left ventricular apex sump, ventricular tachycardia associated with a in an adolescent (Weesner et al.), 334 (Brief comm.)
Angina (pectoris), effect of a 12-hour hiatus in propranolol therapy on exercise tolerance in patients with (Bassan and Weiler-Ravell), 234
evaluation of systolic time intervals in patients with (Randazzo et al.), 756
pacing-induced, in patients with coronary artery disease, effects of oral dipyridamole on coronary dynamics and myocardial metabolism at rest and during (Loeb et al.), 906
Prinzmetal's, ventricular fibrillation caused by myocardial reperfusion in (Tzivoni et al.), 323 (Brief comm.)
rest, ventricular arrhythmia in patients with: correlation with ST segment changes and extent of coronary atherosclerosis (Plotnick, Fisher, and Becker), 32
Angina pectoris—*continued*
spontaneous, response to and sublingual nitroglycerin in patients with coronary artery disease: radionuclide analysis of pulmonary blood volume (Slutsky et al.), 243
variant, effect of aspirin in large doses on attacks of (Miwa, Kambara, and Kawai), 351
Prinzmetal's: is it transmitted genetically? (Mauritson et al.), 1049
refractory, prazosin therapy for (Tzivoni et al.), 262
transient QRS changes in simulating acute myocardial infarction (Chava), 695 (Brief comm.)
vasotonic: epicardial versus resistance vessel spasm (Hellstrom), 1045 (Letter)
(Singh), 1046
Reply (Walinsky), 1047
without ST-T changes in patients with documented coronary artery disease (Haïat, Desoutter, and Stoltz), 883
Angiographic correlates of recurrent sustained ventricular tachycardia in chronic ischemic heart disease (Lam et al.), 928
description of important variants of dual left anterior descending coronary artery and surgical implications (Spindola-Franco, Grose, and Solomon), 445
evaluation of hypertrophic cardiomyopathy (Belsué), 165 (Letter)
Reply (Green and Elliott), 165
Angiography, coronary, diagnosis of left atrial myxoma by 8 years following open mitral commissurotomy (Shapiro et al.), 325 (Brief comm.)
myocardial infarction in patients with coronary artery spasm demonstrated by (Cipriano et al.), 542
Angioplasty, coronary, transluminal, percutaneous, role of intra-aortic balloon counterpulsation in patients undergoing (Alcan et al.), 527
Ankylosing spondylitis, acute fulminant aortic regurgitation in (Demoulin et al.), 859 (Brief comm.)
Antegrade flow during intracoronary thrombolysis for acute myocardial infarction, reperfusion arrhythmia, a marker of restoration of (Goldberg et al.), 26
Anterior motion, systolic, and mitral valve prolapse: a dynamic spectrum (Kessler et al.), 685 (Brief comm.)
Antianginal efficacy of sotalol, long-term (Milei et al.), 873 (Letter)
Antiarrhythmic actions of nifedipine in acute myocardial ischemia (Lubbe, McLean, and Nguyen), 331 (Brief comm.)
drug(s) and tachycardia cycle length and, influence of on pacing termination and acceleration of ventricular tachycardia (Naccarelli et al.), 1
therapy in patients with malignant ventricular arrhythmia, use of nonsustained ventricular tachycardia as a guide to (Podrid et al.), 181
efficacy of amiodarone in ventricular tachycardia, evaluation of (Saksena, Rothbart, and Cappello), 165 (Letter)
Reply (Nademanee and Singh), 167
mechanisms of intravenous N-acetylprocainamide in patients with ventricular dysrhythmias, electrophysiologic properties and (Sung, Juma, and Saksena), 811
Anulus calcification, mitral (Glaser), 343 (Letter)
Reply (Mellino et al.), 344
Aortic regurgitation, chronic, unloading effects of prazosin in patients with (Jebavý, Koudelková, and Henzlová), 567
fulminant, acute, in ankylosing spondylitis (Demoulin et al.), 859 (Brief comm.)
stenosis, effort syncope in: electrocardiographic correlate of ischemic conduction disturbance (Croft, Opie, and Kennelly), 153 (Brief comm.)
valve stenosis and LV apical aneurysm and/or rupture: real or potential complications of persistent LV systolic hypertension after acute myocardial infarction (Roberts et al.), 513 (Brief comm.)
Apical aneurysm, LV, and aortic valve stenosis and/or rupture: real or potential complications of persistent LV systolic hypertension after acute myocardial infarction (Roberts et al.), 513 (Brief comm.)

*January, pp. 1-180; February, pp. 181-356; March, pp. 357-530; April, pp. 531-710; May, pp. 711-884; June, pp. 885-1080.

Apical—*continued*
hypertrophic cardiomyopathy (Kereiakes et al.), 855 (Brief comm.)
nonobstructive cardiomyopathy (Sheikhzadeh), 1043 (Letter)
Reply (Steingo and Barlow), 1043
Arrest, cardiac, in hypertrophic cardiomyopathy, unusual long-term survival following (Ciró and Maron), 145 (Brief comm.)
late, survivors of after myocardial infarction, electrophysiologic studies in (Hamer et al.), 921
ischemic, simple adjuncts which maintain septal temperature below 20° C during for coronary artery bypass grafting (Baumgartner et al.), 440
Arrhythmia(s)-producing concentrations of digitoxin, effects of on mechanical performance of cat myocardium (Williams, Potter, and Mathew), 21
reperfusion: a marker of restoration of antegrade flow during intracoronary thrombolysis for acute myocardial infarction (Goldberg et al.), 26
studies of by 24-hour polygraphic recordings: relationship between atrioventricular block and sleep states (Otsuka, Ichimaru, and Yanaga), 934
ventricular, in patients with rest angina: correlation with ST segment changes and extent of coronary atherosclerosis (Plotnick, Fisher, and Becker), 32
malignant, use of nonsustained ventricular tachycardia as a guide to antiarrhythmic drug therapy in patients with (Podrid et al.), 181
Arrhythmic death, determinants of during coronary artery reperfusion: effect of perfusion bed size (Sheehan and Epstein), 911
Arrhythmogenic properties of paradoxical sleep (Saito et al.), 875 (Letter)
Arterial and coronary sinus cathecholamines in the course of spontaneous coronary artery spasm (Robertson, Bernard, and Robertson), 901
Arteriocameral fistulas, coronary, multiple, associated with d-transposition of the great vessels (Arensman, Schwartz, and Kaplan), 517 (Brief comm.)
Arteriography, reversibility of collaterals by nitroglycerin in coronary disease during (Matsuda et al.), 1029 (Brief comm.)
Arteriosclerosis, etiology of, comparison of coronary and internal mammary arteries and implications of the results in the (Sims), 560
Arteriosclerotic disease, human, qualitative effects of laser irradiation on (Lee et al.), 885
Arteriovenous fistulas, intrahepatic, multiple, Osler-Weber-Rendu disease with (Danchin et al.), 856 (Brief comm.)
Artery(ies) bypass grafting, coronary, simple adjuncts which maintain septal temperature below 20° C during ischemic arrest for (Baumgartner et al.), 440
surgery, coronary, cardiac rehabilitation following (Murray and Beller), 1009
coronary, in Whipple's disease, abnormalities of the (James and Bulkley), 481
left anterior descending, dual, angiographic description of important variants and surgical implications (Spindola-Franco, Grose, and Solomon), 445
disease, coronary, analysis of coronary responses to nifedipine alone and in combination with intracoronary nitroglycerin in patients with (Feldman et al.), 651
basis for a new stress test for: physiologic responses to epinephrine infusion (Schechter, Wilson, and Kong), 554
effects of propranolol on resting and postextrasystolic potentiated left ventricular function in patients with (Friedman et al.), 81
exercise training improves lipoprotein lipid profiles in patients with (Heath et al.), 889
prognostic assessment of patients with by exercise testing (Weiner, McCabe, and Ryan), 749
regional myocardial perfusion at rest and during intracoronary papaverine in patients with (Goldman et al.), 372
mammary, coronary and internal, a comparison of and implications of the results in the etiology of arteriosclerosis (Sims), 560
Artery(ies)—*continued*
reperfusion, coronary, determinants of arrhythmic death during: effect of perfusion bed size (Sheehan and Epstein), 911
spasm, coronary, arterial and coronary sinus catecholamines in the course of spontaneous (Robertson, Bernard, and Robertson), 901
Arthropathy of Jaccoud, chronic post-rheumatic fever (Bittl and Perloff), 515 (Brief comm.)
Aspirin and methysergide, effects of on responses to clot-induced pulmonary embolism (Todd, Forrest, and Cragg), 769
in large doses on attacks of variant angina, effect of (Miwa, Kambara, and Kawai), 351
Asynergy, myocardial, regional, in the canine left ventricle, relation of intramyocardial and intracavitary pressure to (Sabbah and Stein), 380
Atherosclerosis, coronary, and echocardiography, pathologic study of (Jordaens et al.), 1043
progression and regression of: relation to risk factors (Kramer et al.), 134
ST segment changes and extent of, correlation with ventricular arrhythmia in patients with rest angina (Plotnick, Fisher, and Becker), 32
Atherosclerotic obstructive disease, human, laser irradiation of: simultaneous visualization and vaporization achieved by a dual fiberoptic catheter (Lee et al.), 163 (Brief comm.)
plaques of coronary arteries, extravasated erythrocytes, iron, and fibrin in fatal coronary heart disease and their relation to luminal thrombus: frequency and significance in 57 necropsy patients and in 2958 five mm segments of 224 major epicardial coronary arteries (Virmani and Roberts), 788
Athletic hearts in comparison with diseased hearts, myocardial mechanics of (Sugishita et al.), 273
Atresia, pulmonary, with ventricular septal defect, and in truncus arteriosus, two-dimensional echocardiographic study of right ventricular outflow and great artery anatomy in (Barron et al.), 281
Atrial and ventricular septal defects, radionuclide analysis of right and left ventricular response to exercise in patients with (Peter, Bowyer, and Jones), 428
fibrillation, acute, clinical course of treated with rapid digitalization (Weiner et al.), 223
chronic, verapamil improves exercise capacity in: double-blind crossover study (Lang et al.), 820
flutter, a case for intra-atrial Wenckebach heart block during (Delbaum, McAnulty, and Kloster), 690 (Brief comm.)
lesions, right, relationship of extent of to subsidiary pacemaker shift and its function: experimental studies on sick sinus syndrome (Ishikawa et al.), 593
overdrive pacing, sinus node recovery times following the spontaneous termination of supraventricular tachycardia and following: a comparison (Gang et al.), 210
pacing, changes in left ventricular end-diastolic pressure during, relationship to pulmonary blood volume (Tubau et al.), 940
quantitative effects of the duration and frequency of and of vagal and sympathetic stimulation upon overdrive suppression of the sinus node: interactions among the critical factors affecting sinus node function (Kerin et al.), 215
septal defect, secundum, isolated, pulmonary hypertension in: high frequency in young patients (Cherian et al.), 952
systole, reevaluation of role of to cardiac hemodynamics: evidence for pulmonary venous regurgitation during abnormal atrioventricular sequencing (Naito et al.), 295
Atrioventricular block and sleep states, relationship between: studies of arrhythmias by 24-hour polygraphic recordings (Otsuka, Ichimaru, and Yanaga), 934
in dogs, closed chest permanent (Gonzalez et al.), 461
node reentry: intravenous verapamil as a method of defining multiple electrophysiologic types (Hamer, Peter, and Mandel), 629

Atrioventricular—*continued*
sequencing, abnormal, evidence for pulmonary venous regurgitation during: reevaluation of role of atrial systole to cardiac hemodynamics (Naito et al.), 295
Atropine-induced cardioacceleration in patients on chronic propranolol therapy: comparison with the positive chronotropic effect of isometric exercise (Flessas and Ryan), 230
Attack of coronary heart disease, acute, natural history study of 586 men surviving an initial (Graham et al.), 249
Automaticity, depressed, comparative evaluation of in sick sinus syndrome by Holter monitoring and overdrive suppression test (Hattori et al.), 587
Autonomic and baroreflex function after captopril in hypertension (Warren, O'Connor, and Cohen), 1002

B

Balloon counterpulsation, intra-aortic, in patients undergoing percutaneous transluminal coronary angioplasty (Alcan et al.), 527
Baroreflex and autonomic function after captopril in hypertension (Warren, O'Connor, and Cohen), 1002
Beats, ectopic, ventricular, reduction of with oral acebutolol: A double-blind, randomized crossover study (Lui et al.), 722
Bedside diagnosis of right heart myxomas through detection of palpable tumor shocks and audible plops (Massumi), 303
Berens pacing electrode, use of in nonsurgical retrieval of intracardiac foreign body (Kaushik and Ong), 868 (Brief comm.)
Beta-adrenergic blockade, effect of on circulating catecholamines and dopamine-beta-hydroxylase activity during exercise in normal subjects (Sheehan et al.), 777
-1 (selective) blockade in congestive cardiomyopathy (Jacob and Hafer), 872 (Letter)
Bicycle exercise, supine, response to in normal subjects and in patients with coronary heart disease: radionuclide analysis of ejection time, peak ejection rate, and time to peak ejection rate (Slutsky et al.), 802
Biochemistry and metabolism, imaging—a new look at the heart (Schelbert, Phelps, and Shine), 522
Björk-Shiley valve, mitral, malfunction of (Bonchek), 521 (Letter)
Reply (Bloor), 521
Block, atrioventricular, and sleep states, relationship between: studies of arrhythmias by 24-hour polygraphic recordings (Otsuka, Ichimaru, and Yanaga), 934
bundle branch, in acute myocardial infarction (Hollander et al.), 738
heart, intra-atrial Wenckebach, a case for during atrial flutter (Delbaum, McAnulty, and Kloster), 690 (Brief comm.)
in dogs, atrioventricular, closed chest permanent (Gonzalez et al.), 461
left bundle branch, left ventricular performance during exercise in patients with: evaluation by gated radionuclide ventriculography (Rowe et al.), 66
Blockade, beta-adrenergic, effect of on circulating catecholamines and dopamine-beta-hydroxylase activity during exercise in normal subjects (Sheehan et al.), 777
selective (beta-1), in congestive cardiomyopathy (Jacob and Hafer), 872 (Letter)
Blood pressure, elevated, in school children—prevalence, persistence, and hemodynamics: the Minneapolis Children's Blood Pressure Study (Gillum et al.), 316
rapid reduction of in accelerated hypertension, QRS vector changes with (Lee et al.), 1038 (Brief comm.)
related echocardiographic changes in adolescents and young adults (Johnson et al.), 113
Study, Minneapolis Children's, the: elevated blood pressure in school children—prevalence, persistence, and hemodynamics (Gillum et al.), 316
systolic/end-systolic volume relationship, radionuclide evaluation of: response to pharmacologic agents in patients with coronary artery disease (Slutsky, Watkins, and Costello), 53
Blood—*continued*
volume, pulmonary, radionuclide analysis of: the response to spontaneous angina pectoris and sublingual nitroglycerin in patients with coronary artery disease (Slutsky et al.), 243
: relationship to changes in left ventricular end-diastolic pressure during atrial pacing (Tubau et al.), 940
Bookshelf, 180, 356, 710, 1056
Borderline hypertensive patients, overweight, independent effects of weight reduction and sodium restriction in: nonpharmacologic therapy of hypertension (Gillum et al.), 128
Bradykinin profile and renin-angiotensin-aldosterone in hypertension, acute effects of captopril on cardiopulmonary hemodynamics and (Mookherjee et al.), 106
Branch block, bundle, in acute myocardial infarction (Hollander et al.), 738
left bundle, left ventricular performance during exercise in patients with: evaluation by gated radionuclide ventriculography (Rowe et al.), 66
Brazil, Northeast, a rural community in, relationship of electrocardiographic abnormalities and seropositivity to *Trypanosoma cruzi* within (Maguire et al.), 287
Bretylium, electrophysiologic effects of on canine ventricular muscle during acute ischemia and reperfusion (Fujimoto et al.), 966
failure of to suppress inducible ventricular tachycardia (Greene et al.), 717
prevention of ventricular fibrillation by in a conscious canine model of sudden coronary death (Holland, Patterson, and Lucchesi), 711
tosylate, electrophysiologic testing of in sustained ventricular tachycardia (Bauernfeind et al.), 973
Buccal nitroglycerin: new nitrate delivery systems (Abrams), 848
Bundle branch block in acute myocardial infarction (Hollander et al.), 738
left, left ventricular performance during exercise in patients with: evaluation by gated radionuclide ventriculography (Rowe et al.), 66
recordings, His, chronic epicardial, in awake nonsedated dogs: a new method (Karpawich et al.), 16
Bypass grafting, coronary artery, simple adjuncts which maintain septal temperature below 20° C during ischemic arrest for (Baumgartner et al.), 440
surgery, coronary artery, cardiac rehabilitation following (Murray and Beller), 1009

C

C-11 palmitate for the noninvasive evaluation of regional myocardial fatty acid metabolism with positron computed tomography. III. In vivo demonstration of the effects of substrate availability on myocardial metabolism (Schelbert et al.), 492
Calcification, mitral anulus (Glaser), 343 (Letter)
Reply (Mellino et al.), 344
valve, in congenital mitral stenosis (Rodan et al.), 514 (Brief comm.)
Calcium antagonist, nifedipine, effects of on platelet function (Dale, Landmark, and Myhre), 103
Canine heart, normal, effect of alpha-adrenergic receptor stimulation on ventricular electrical properties in the (Kowey, Verrier, and Lown), 366
ventricular muscle during acute ischemia and reperfusion, electrophysiologic effects of bretylium on (Fujimoto et al.), 966
Captopril, acute effects of on cardiopulmonary hemodynamics and renin-angiotensin-aldosterone and bradykinin profile in hypertension (Mookherjee et al.), 106
in heart failure with renal disease (David et al.), 873 (Letter)
in hypertension, autonomic and baroreflex function after (Warren, O'Connor, and Cohen), 1002
Cardiac arrest in hypertrophic cardiomyopathy, unusual long-term survival following (Ciró and Maron), 145 (Brief comm.)
late, survivors of after myocardial infarction, electrophysiologic studies in (Hamer et al.), 921

Cardiac—*continued*
hemodynamics, reevaluation of role of atrial systole to: evidence for pulmonary venous regurgitation during abnormal atrioventricular sequencing (Naito et al.). 295
hypertrophy and norepinephrine in iron deficiency anemia (Rossi and Carillo), 874 (Letter)
performance, adverse effects of febrile state on (Haupt and Rackow), 763
rehabilitation, effects of after myocardial infarction: changes in coronary risk factors and long-term prognosis (Vermeulen, Lie, and Durrer), 798
following coronary artery bypas surgery (Murray and Beller), 1009
Cardioacceleration, atropine-induced, in patients on chronic propranolol therapy: comparison with the positive chronotropic effect of isometric exercise (Flessas and Ryan), 230
Cardiomyopathy, apical hypertrophic nonobstructive (Sheikhzadeh), 1043 (Letter)
Reply (Steingo and Barlow), 1043
congestive, amrinone therapy in (Reader, Peyregne, and Suárez), 1045 (Letter)
nonischemic, role of subendocardial ischemia in perpetuating myocardial failure in patients with (Unverferth et al.), 176
selective (beta-1) blockade in (Jacob and Hafer), 872 (Letter)
hypertrophic (Goodwin), 697 (Letter)
Reply (Beder et al.), 697
angiographic evaluation of (Belsué), 165 (Letter)
Reply (Green and Elliott), 165
apical (Kereiakes et al.), 855 (Brief comm.)
resting and exercise left ventricular function in patients with (Manyari et al.), 980
two forms of distinguished by inheritance of HLA haplotypes and left ventricular outflow tract obstruction (Kishimoto et al.), 988
unusual long-term survival following cardiac arrest in (Ciró and Maron), 145 (Brief comm.)
restrictive, differentiation from constrictive pericarditis by computed tomographic imaging (Isner et al.), 1019
Cardiopulmonary hemodynamics and renin-angiotensin-aldosterone and bradykinin profile in hypertension, acute effects of captopril on (Mookherjee et al.), 106
Cardiovascular disease, drinking habits and: the Framingham Study (Gordon and Kannel), 667
vital capacity as a predictor of: Framingham Study (Kannel, Hubert, and Lew), 311
Cat myocardium, effects of arrhythmia-producing concentrations of digitoxin on mechanical performance of (Williams, Potter, and Mathew), 21
Catecholamine(s), arterial and coronary sinus, in the course of spontaneous coronary artery spasm (Robertson, Bernard, and Robertson), 901
circulating, and dopamine-beta-hydroxylase activity during exercise in normal subjects, effects of beta-adrenergic blockade on (Sheehan et al.), 777
levels, plasma, increased, and QT interval prolongation in patients with mitral valve prolapse (Puddu et al.), 422
urinary, in pheochromocytoma (Borrello), 697 (Letter)
Reply (Nanji and Blank), 697
Catheter, fiberoptic, dual, simultaneous visualization and vaporization achieved by a: laser irradiation of human atherosIcerotic obstructive disease (Lee et al.), 163 (Brief comm.)
Swan-Ganz flow-directed, transseptal left-heart catheterization with (Kotoda et al.), 436
Catheterization and surgery, M-mode and two-dimensional echocardiographic correlation with findings at in patients with mitral stenosis (Glover et al.), 98
left-heart, transseptal, with Swan-Ganz flow-directed catheter (Kotoda et al.), 436
Childhood and adolescence, congestive heart failure in: recognition and management (Artman, Parrish, and Graham), 471
Children, detection of pulmonary venous flow by pulsed Doppler echocardiography in (Pickoff et al.), 826
Children—*continued*
school, elevated blood pressure in—prevalence, persistence, and hemodynamics: the Minneapolis Children's Blood Pressure Study (Gillum et al.), 316
Cholesterol, total, fasting triglyceride, and HDL-cholesterol in women, effects of cigarette smoking on (Willett et al.), 417
Chordae tendineae, ruptured, of the tricuspid valve, echocardiographic findings in (Oliver et al.), 1033 (Brief comm.)
prevalence of in the mitral valve prolapse syndrome (Grenadier, Keidar, and Palant), 603
Chronic heart disease, response of the right ventricle to exercise in patients with (Weiner et al.), 386
recurrent right ventricular tachycardia in patients without ischemic heart disease: clinical, hemodynamic, and angiographic findings (Pietras et al.), 357
Cigarette smoking on fasting triglyceride, total cholesterol, and HDL-cholesterol in women, effects of (Willett et al.), 417
Cineangiograms, standard, correlation of 10-milliliter digital subtraction ventriculograms compared with (Tobis et al.), 946
Circulating catecholamines and dopamine-beta-hydroxylase activity during exercise in normal subjects, effect of beta-adrenergic blockade on (Sheehan et al.), 777
CK-MB isoenzyme, serum myoglobin, and total CPK, roles of in the acute phase of myocardial infarction (Grenadier et al.), 408
Clinical profile of endomyocardial fibrosis and role of surgery in management (Cherian, John, and Abraham), 706
Closed chest permanent atrioventricular block in dogs (Gonzalez et al.), 461
Clot-induced pulmonary embolism, effects of aspirin and methysergide on responses to (Todd, Forrest, and Cragg), 769
Collaterals, reversibility of by nitroglycerin in coronary disease during arteriography (Matsuda et al.), 1029 (Brief comm.)
Commissurotomy, mitral, open, diagnosis of left atrial myxoma by coronary angiography 8 years following (Shapiro et al.), 325 (Brief comm.)
Computed tomographic imaging, differentiation of constrictive pericarditis from restrictive cardiomyopathy by (Isner et al.), 1019
Conduction disturbance, ischemic, effort syncope in aortic stenosis, electrocardiographic correlate of (Croft, Opie, and Kennelly), 153 (Brief comm.)
Congestive cardiomyopathy, amrinone therapy in (Reader, Peyregne, and Suárez), 1045 (Letter)
nonischemic, role of subendocardial ischemia in perpetuating myocardial failure in patients with (Unverferth et al.), 176
selective (beta-1) blockade in (Jacob and Hafer), 872 (Letter)
heart failure, adverse effects of long-term amrinone administration in (Dunkman, Wilen, and Franciosa), 861 (Brief comm.)
chronic, combined vasodilator therapy for (Cody, Franklin, and Laragh), 575
in childhood and adolescence: recognition and management (Artman, Parrish, and Graham), 471
pathogenesis and management of, revisited (Iseri and Benvenuti), 346
Constrictive pericarditis, differentiation of from restrictive cardiomyopathy by computed tomographic imaging (Isner et al.), 1019
Contractions, ventricular, premature, use of flecainide acetate in the treatment of (Abitbol et al.), 227
Contrast injections, coronary artery, effects of coughing following (Little, Reeves, and Rogers), 507 (Brief comm.)
Coronary and internal mammary arteries, comparison of and implications of the results in the etiology of arteriosclerosis (Sims), 560
angiography, diagnosis of left atrial myxoma by 8 years following open mitral commissurotomy (Shapiro et al.), 325 (Brief comm.)
angioplasty, transluminal, percutaneous, role of intra-aortic balloon counterpulsation in patients undergoing (Alcan et al.), 527

Coronary—*continued*
arteriocameral fistulas, multiple, associated with d-transposition of the great vessels (Arensman, Schwartz, and Kaplan), 517 (Brief comm.)
artery(ies), atherosclerotic plaques of, extravasated erythrocytes, iron, and fibrin in in fatal coronary heart disease and their relation to luminal thrombus: frequency and significance in 57 necropsy patients and in 2958 five mm segments of 224 major epicardial coronary arteries (Virmani and Roberts), 788
bypass grafting, simple adjuncts which maintain septal temperature below 20° C during ischemic arrest for (Baumgartner et al.), 440
surgery, cardiac rehabilitation following (Murray and Beller), 1009
contrast injections, effects of coughing following (Little, Reeves, and Rogers), 507 (Brief comm.)
disease, analysis of coronary responses to nifedipine alone and in combination with intracoronary nitroglycerin in patients with (Feldman et al.), 651
basis for a new stress test for: physiologic responses to epinephrine infusion (Schechter, Wilson, and Kong), 554
effects of oral dipyridamole on coronary dynamics and myocardial metabolism at rest and during pacing-induced angina in patients with (Loeb et al.), 906
of propranolol on resting and postextrasystolic potentiated left ventricular function in patients with (Friedman et al.), 81
exercise training improves lipoprotein lipid profiles in patients with (Heath et al.), 889
pharmacologic agents in patients with, response of radionuclide evaluation of the systolic blood pressure/end-systolic volume relationship to (Slutsky, Watkins, and Costello), 53
prognostic assessment of patients with by exercise testing (Weiner, McCabe, and Ryan), 749
regional myocardial perfusion at rest and during intracoronary papaverine in patients with (Goldman et al.), 372
response to spontaneous angina pectoris and sublingual nitroglycerin in patients with: radionuclide analysis of pulmonary blood volume (Slutsky et al.), 243
in Whipple's disease, abnormalities of the (James and Bulkley), 481
left anterior descending, dual, angiographic description of important variants and surgical implications (Spindola-Franco, Grose, and Solomon), 445
reperfusion, determinants of arrhythmic death during: effect of perfusion bed size (Sheehan and Epstein), 911
spasm, arterial and coronary sinus catecholamines in the course of spontaneous (Robertson, Bernard, and Robertson), 901
demonstrated by angiography, myocardial infarction in patients with (Cipriano et al.), 542
atherosclerosis and echocardiography, pathologic study of (Jordaens et al.), 1043 (Letter)
progression and regression of: relation to risk factors (Kramer et al.), 134
ST segment changes and extent of, correlation with ventricular arrhythmia in patients with rest angina (Plotnick, Fisher, and Becker), 32
death, sudden, prevention of ventricular fibrillation by bretylium in a conscious canine model of (Holland, Patterson, and Lucchesi), 711
disease during arteriography, reversibility of collaterals by nitroglycerin in (Matsuda et al.), 1029 (Brief comm.)
dynamics and myocardial metabolism at rest and during pacing-induced angina in patients with coronary artery disease, effects of oral dipyridamole on (Loeb et al.), 906
sympathetic neural activity, and vulnerability to ventricular fibrillation during myocardial ischemia and reperfusion, relationship between (Lombardi, Verrier, and Lown), 958
heart disease, documented, angina pectoris without ST-T changes in patients with (Haïat, Desoutter, and Stoltz), 883

Coronary heart disease—*continued*
fatal, extravasated erythrocytes, iron, and fibrin in atherosclerotic plaques of coronary arteries in and their relation to luminal thrombus: frequency and significance in 57 necropsy patients and in 2958 five mm segments of 224 major epicardial coronary arteries (Virmani and Roberts), 788
hematocrit and the risk of: the Honolulu Heart Program (Carter et al.), 674
natural history of: a study of 586 men surviving an initial acute attack (Graham et al.), 249
response to supine bicycle exercise in normal subjects and in patients with: radionuclide analysis of ejection time, peak ejection rate, and time to peak ejection rate (Slutsky et al.), 802
responses, analysis of to nifedipine alone and in combination with intracoronary nitroglycerin in patients with coronary artery disease (Feldman et al.), 651
risk factors, changes in and long-term prognosis: effects of cardiac rehabilitation after myocardial infarction (Vermeulen, Lie, and Durrer), 798
sinus and arterial catecholamines in the course of spontaneous coronary artery spasm (Robertson, Bernard, and Robertson), 901
vasodilation, effect of on ventricular fibrillation threshold: role of exogenous vasodilators and perfusion conditions (Kralios, Tsagaris, and Kuida), 580
Coughing, effects of following coronary artery contrast injections (Little, Reeves, and Rogers), 507 (Brief comm.)
Counterpulsation, balloon, intra-aortic, in patients undergoing percutaneous transluminal coronary angioplasty (Alcan et al.), 527
Couplets and ventricular parasystole: the concept of longitudinal dissociation in the microreentry pathway (Kinoshita and Kawasaki), 1050
Creatine kinase in humans, direct determination of distribution volume and disappearance rate of (Tommasini et al.), 402
isoenzyme MB, serum, in acute and chronic alcoholism (Eckfeldt, Weir, and Chesler), 1032 (Brief comm.)
phosphokinase, total, serum myoglobin, and CK-MB isoenzyme, roles of in the acute phase of myocardial infarction (Grenadier et al.), 408

D

d-transposition of the great vessels, multiple coronary arteriocameral fistulas associated with (Arensman, Schwartz, and Kaplan), 517 (Brief comm.)
Death, arrhythmic, determinations of during coronary artery reperfusion: effect of perfusion bed size (Sheehan and Epstein), 911
sudden coronary, prevention of ventricular fibrillation by bretylium in a conscious canine model of (Holland, Patterson, and Lucchesi), 711
Debrisoquine hydroxylation, prediction of subclinical perhexiline neuropathy in a patient with inborn error of (Shah et al.), 159 (Brief comm.)
Delivery systems, new nitrate: buccal nitroglycerin (Abrams), 848
Dental surgery, minor, metoprolol in the prevention of dysrhythmias during (Ward-Booth et al.), 689 (Brief comm.)
Depression, ST segment, in a simplified index, improving diagnostic accuracy of the exercise test by combining R-wave changes with duration of (Berman et al.), 60
Depth localization of thrombi and dynamic studies of postoperative thrombosis using the ^{125}I-fibrinogen sum-coincidence method (Bernstein et al.), 614
Diastolic and systolic left ventricular function in dogs, effects of direct-current electrical shocks on (Ditchey and LeWinter), 727
filling rates, reduced, of the left ventricle, relation of ischemia-induced impairment of left ventricular relaxation to (Gewirtz et al.), 72
pressure-volume curves, left ventricular, in dogs with sustained volume overload, influence of the pericardium on (Bhargava et al.), 995
Digital heat loss, observations on the relationship between and systemic hemodynamics in patients with heart disease (Takano et al.), 830

Digital—*continued*
subtraction ventriculograms, 10-milliliter, correlation of compared with standard cineangiograms (Tobis et al.), 946
Digitalization, rapid, clinical course of acute atrial fibrillation treated with (Weiner et al.), 223
Digitoxin, arrhythmia-producing concentrations of, effects of on mechanical performance of cat myocardium (Williams, Potter, and Mathew), 21
Digoxin and quinidine, drug toxicity in patients receiving (Walker et al.), 1025
Dipyridamole, oral, effects of on coronary dynamics and myocardial metabolism at rest and during pacing-induced angina in patients with coronary artery disease (Loeb et al.), 906
Direct-current electrical shocks, effects of on systolic and diastolic left ventricular function in dogs (Ditchey and LeWinter), 727
Disappearance rate and distribution volume of native creatine kinase in humans, direct determination of (Tommasini et al.), 402
Diseased hearts in comparison with athletic hearts, myocardial mechanics of (Sugishita et al.), 273
Disopyramide and quinidine, concurrent use of: evaluation of serum concentrations and electrocardiographic effects (Baker et al.), 12
-induced QT prolongation and ventricular tachyarrhythmias (Riccioni, Castiglioni, and Bartolomei), 870 (Brief comm.)
Distribution volume and disappearance rate of native creatine kinase in humans, direct determination of (Tommasini et al.), 402
Dopamine-beta-hydroxylase activity during exercise in normal subjects, effect of beta-adrenergic blockade on circulating catecholamines and (Sheehan et al.), 777
Doppler echocardiography, pulsed, in children, detection of pulmonary venous flow by (Pickoff et al.), 826
Drinking habits and cardiovascular disease: the Framingham Study (Gordon and Kannel), 667
Drug(s), antiarrhythmic, and tachycardia cycle length, influence of on pacing termination and acceleration of ventricular tachycardia (Naccarelli et al.), 1
therapy, antiarrhythmic, in patients with malignant ventricular arrhythmia, use of nonsustained ventricular tachycardia as a guide to (Podrid et al.), 181
toxicity in patients receiving digoxin and quinidine (Walker et al.), 1025
Dual left anterior descending coronary artery: angiographic description of important variants and surgical implications (Spindola-Franco, Grose, and Solomon), 445
Duchenne's muscular dystrophy, acute respiratory failure following intravenous verapamil in (Zalman et al.), 510 (Brief comm.)
Dynamics, coronary, and myocardial metabolism at rest and during pacing-induced angina in patients with coronary artery disease, effects of oral dipyridamole on (Loeb et al.), 906
Dysrhythmia(s) comparison in apparently healthy males during and after treadmill and acceleration stress testing (Whinnery), 732
during minor dental surgery, metoprolol in the prevention of (Ward-Booth et al.), 689 (Brief comm.)
ventricular, electrophysiologic properties and antiarrhythmic mechanisms of intravenous N-acetylprocainamide in patients with (Sung, Juma, and Saksena), 811
Dystrophy, muscular, Duchenne's, acute respiratory failure following intravenous verapamil in (Zalman et al.), 510 (Brief comm.)

E

Echocardiographic assessment, two-dimensional, of LV papillary muscles in their long axes: a new cross-sectional approach (Tei et al.), 505 (Brief comm.)
changes in adolescents and young adults, blood pressure related (Johnson et al.), 113
correlation, M-mode and two-dimensional, with findings at catheterization and surgery in patients with mitral stenosis (Glover et al.), 98
Echocardiographic—*continued*
detection of right ventricular hypertrophy (Baker et al.), 611
findings in ruptured chordae tendineae of the tricuspid valve (Oliver et al.), 1033 (Brief comm.)
-phonocardiographic features of regurgitant porcine mitral and tricuspid valves presenting with musical murmurs (Alam, Garcia, and Goldstein), 456
study, two-dimensional, of right ventricular outflow and great artery anatomy in pulmonary atresia with ventricular septal defect, and in truncus arteriosus (Barron et al.), 281
Echocardiography and coronary atherosclerosis, pathologic study of (Jordaens et al.), 1034 (Letter)
Doppler, pulsed, in children, detection of pulmonary venous flow by (Pickoff et al.), 826
two-dimensional, a rare complication of myocardial infarction diagnosed by: elongate thrombus extending from left ventricular apex to outflow tract (McManus et al.), 327 (Brief comm.)
Ectopic beats, ventricular, reduction of with oral acebutolol: a double-blind, randomized crossover study (Lui et al.), 722
Edema, massive peripheral, hemodynamic effects of (Magrini and Niarchos), 90
pulmonary, alternating unilateral, following pneumothorax in acute myocardial infarction (Keren, Tzivoni, and Stern), 156 (Brief comm.)
Effort syncope in aortic stenosis: electrocardiographic correlate of ischemic conduction disturbance (Croft, Opie, and Kennelly), 153 (Brief comm.)
Ejection rate, peak, radionuclide analysis of, ejection time, and time to peak ejection rate: response to supine bicycle exercise in normal subjects and in patients with coronary heart disease (Slutsky et al.), 802
time to peak, radionuclide analysis of ejection time, peak ejection rate, and: response to supine bicycle exercise in normal subjects and in patients with coronary heart disease (Slutsky et al.), 802
time, radionuclide analysis of, peak ejection rate and time to peak ejection rate: response to supine bicycle exercise in normal subjects and in patients with coronary heart disease (Slutsky et al.), 802
Electrical shocks, direct-current, effects of on systolic and diastolic left ventricular function in dogs (Ditchey and LeWinter), 727
Electrocardiogram(s), ambulatory, spontaneous reversion on in the absence of heart disease, ventricular fibrillation with (Dubner et al.), 691 (Brief comm.)
serial, in the diagnosis of myocardial infarction, assessment of accuracy of (McQueen, Holder, and El-Maraghi), 258
Electrocardiographic abnormalities and seropositivity to *Trypanosoma cruzi* within a rural community in Northeast Brazil, relationship of (Maguire et al.), 287
and clinical observations in dynamic QRS variations in Wolff-Parkinson-White syndrome (Khair, Tristanti, and Bamrah), 878
correlate of ischemic conduction disturbance: effort syncope in aortic stenosis (Croft, Opie, and Kennelly), 153 (Brief comm.)
effects and serum concentrations, evaluation of: concurrent use of quinidine and disopyramide (Baker et al.), 12
U waves, intercostal muscle tic simulating (Borrello), 1047 (Letter)
Electrode, pacing, Berens, use of in nonsurgical retrieval of intracardiac foreign body (Kaushik and Ong), 868 (Brief comm.)
Electrophysiologic actions of amiodarone (Santinelli), 520 (Letter)
Reply (Hamer and Mandel), 520
effects of bretylium on canine ventricular muscle during acute ischemia and reperfusion (Fujimoto et al.), 966
observations during the spontaneous initiation of ischemia-induced ventricular fibrillation (Fujimoto et al.), 189
on ventricular tachyarrhythmias following reperfusion (Fujimoto et al.), 201
properties and antiarrhythmic mechanisms of intravenous N-acetylprocainamide in patients with ventricular dysrhythmias (Sung, Juma, and Saksena), 811

Electrophysiologic—*continued*
studies in survivors of late cardiac arrest after myocardial infarction (Hamer et al.), 921
testing of bretylium tosylate in sustained ventricular tachycardia (Bauernfeind et al.), 973
types, multiple, intravenous verapamil as a method of defining: atrioventricular node reentry (Hamer, Peter, and Mandel), 629
Elevated blood pressure in school children—prevalence, persistence, and hemodynamics: the Minneapolis Children's Blood Pressure Study (Gillum et al.), 316
Elongate thrombus extending from left ventricular apex to outflow tract: a rare complication of myocardial infarction diagnosed by two-dimensional echocardiography (McManus et al.), 327 (Brief comm.)
Embolism, pulmonary, clot-induced, effects of aspirin and methysergide on responses to (Todd, Forrest, and Cragg), 769
massive, absence of ventricular tachyarrhythmias in (Carbonin et al.), 1036 (Brief comm.)
End-diastolic pressure, left ventricular, during atrial pacing, changes in, relationship to pulmonary blood volume (Tubau et al.), 940
-systolic volume/systolic blood pressure relationship, radionuclide evaluation of: response to pharmacologic agents in patients with coronary artery disease (Slutsky, Watkins, and Costello), 53
Endocarditis, Q fever, of porcine xenograft valves (Ross, Jacobson, and Muir), 151 (Brief comm.)
Endomyocardial fibrosis: clinical profile and role of surgery in management (Cherian, John, and Abraham), 706
:diagnosis and treatment (Gonzalez-Lavin et al.), 699
:report on the hemodynamic data in 29 patients and review of the results of surgery (Cherian et al.), 659
Epicardial coronary arteries, 224 major, frequency and significance in 57 necropsy patients and in 2958 five mm segments of: extravasated erythrocytes, iron, and fibrin in atherosclerotic plaques of coronary arteries in fatal coronary heart disease and their relation to luminal thrombus (Virmani and Roberts), 788
His bundle recordings, chronic, in awake nonsedated dogs: a new method (Karpawich et al.), 16
versus resistance vessel spasm in vasotonic angina (Hellstrom), 1045 (Letter)
(Singh), 1046
Reply (Walinsky), 1047
Epinephrine infusion, physiologic responses to: the basis for a new stress test for coronary artery disease (Schechter, Wilson, and Kong), 554
Erythrocytes, extravasated, iron, and fibrin in atherosclerotic plaques of coronary arteries in fatal coronary heart disease and their relation to luminal thrombus: frequency and significance in 57 necropsy patients and in 2958 five mm segments of 224 major epicardial coronary arteries (Virmani and Roberts), 788
Esophageal-pericardial fistula presenting as pericarditis (Meltzer et al.), 148 (Brief comm.)
Exercise and resting left ventricular function in patients with hypertrophic cardiomyopathy (Manyari et al.), 980
bicycle, supine, response to in normal subjects and in patients with coronary heart disease: radionuclide analysis of ejection time, peak ejection rate, and time to peak ejection rate (Slutsky et al.), 802
capacity, verapamil improves in chronic atrial fibrillation: double-blind crossover study (Lange et al.), 820
in normal subjects, effect of beta-adrenergic blockade on circulating catecholamines and dopamine-beta-hydroxylase activity during (Sheehan et al.), 777
-induced stress, significance of platelet-vessel wall prostaglandin equilibrium during (Mehta, Mehta, and Horalek), 895
isometric, comparison with the positive chronotropic effect of: atropine-induced cardioacceleration in patients on chronic propranolol therapy (Flessas and Ryan), 230
effects of nitroglycerin on (Flessas and Ryan), 239
left and right ventricular response to in patients with atrial and ventricular septal defects, radionuclide analysis of (Peter, Bowyer, and Jones), 428
Exercise, left—*continued*
ventricular performance during in patients with left bundle branch block: evaluation by gated radionuclide ventriculography (Rowe et al.), 66
response of the right ventricle to in patients with chronic heart disease (Weiner et al.), 386
test, improving diagnostic accuracy of by combining R-wave changes with duration of ST segment depression in a simplified index (Berman et al.), 60
testing, prognostic assessment of patients with coronary artery disease by (Weiner, McCabe, and Ryan), 749
tolerance in patients with angina pectoris, effect of a 12-hour hiatus in propranolol therapy on (Bassan and Weiler-Ravell), 234
training improves lipoprotein lipid profiles in patients with coronary artery disease (Heath et al.), 889
Exogenous vasodilators and perfusion conditions, role of: effect of coronary vasodilation on ventricular fibrillation threshold (Kralios, Tsagaris, and Kuida), 580
Extravasated erythrocytes, iron, and fibrin in atherosclerotic plaques of coronary arteries in fatal coronary heart disease and their relation to luminal thrombus: frequency and significance in 57 necropsy patients and in 2958 five mm segments of 224 major epicardial coronary arteries (Virmani and Roberts), 788

F

Fabry's disease, peripheral hemodynamics in patients with (Seino et al.), 783
Failure, heart, congestive, adverse effects of long-term amrinone administration in (Dunkman, Wilen, and Franciosa), 861 (Brief comm.)
chronic, combined vasodilator therapy for (Cody, Franklin, and Laragh), 575
in childhood and adolescence: recognition and management (Artman, Parrish, and Graham), 471
pathogeneais and management of, revisited (Iseri and Benvenuti), 346
with renal disease, captopril in (David et al.), 873 (Letter)
myocardial, role of subendocardial ischemia in perpetuating in patients with nonischemic congestive cardiomyopathy (Unverferth et al.), 176
Fatty acid metabolism, myocardial, regional, with positron computed tomography, C-11 palmitate for the noninvasive evaluation of. III. In vivo demonstration of the effects of substrate availability on myocardial metabolism (Schelbert et al.), 492
Febrile state, adverse effects of on cardiac performance (Haupt and Rackow), 763
Fever arthropathy, post-rheumatic, chronic, of Jaccoud (Bittl and Perloff), 515 (Brief comm.)
rheumatic, fulminant acute, with multisystem involvement (Escudero, Stanislawsky, and Escudero), 161 (Brief comm.)
Fiberoptic catheter, dual, simultaneous visualization and vaporization achieved by a: laser irradiation of human atherosclerotic obstructive disease (Lee et al.), 163 (Brief comm.)
Fibrillation, atrial, acute, clinical course of treated with rapid digitalization (Weiner et al.), 223
chronic, verapamil improves exercise capacity in: double-blind crossover study (Lang et al.), 820
spontaneous ventricular flutter and during quinidine medication (Koenig and Schinz), 863 (Brief comm.)
threshold, ventricular, effect of coronary vasodilation on: role of exogenous vasodilators and perfusion conditions (Kralios, Tsagaris, and Kuida), 580
ventricular, caused by myocardial reperfusion in Prinzmetal's angina (Tzivoni et al.), 323 (Brief comm.)
ischemia-induced, electrophysiologic observations during the spontaneous initiation of (Fujimoto et al.), 189
prevention of by bretylium in a conscious canine model of sudden coronary death (Holland, Patterson, and Lucchesi), 711
relationship between the extent of the hypoperfused zone of the myocardium and the occurrence of (Endo et al.), 915

Fibrillation, ventricular—*continued*
vulnerability to, relationship between sympathetic neural activity, coronary dynamics, and during myocardial ischemia and reperfusion (Lombardi, Verrier, and Lown), 958
with spontaneous reversion on ambulatory ECG in the absence of heart disease (Dubner et al.), 691 (Brief comm.)
Fibrin, extravasated erythrocytes, and iron in atherosclerotic plaques of coronary arteries in fatal coronary heart disease and their relation to luminal thrombus: frequency and significance in 57 necropsy patients and in 2958 five mm segments of 224 major epicardial coronary arteries (Virmani and Roberts), 788
Fibrinogen-sum-coincidence method, ^{125}I, depth localization of thrombi and dynamic studies of postoperative thrombosis using the (Bernstein et al.), 614
Fibrosis, endomyocardial: clinical profile and role of surgery in management (Cherian, John, and Abraham), 706
:diagnosis and treatment (Gonzalez-Lavin et al.), 699
:report on the hemodynamic data in 29 patients and review of the results of surgery (Cherian et al.), 659
retroperitoneal, and methyldopa (Ahmad), 1037 (Brief comm.)
Fistula(s), arteriovenous, intrahepatic, multiple, Osler-Weber-Rendu disease with (Danchin et al.), 856 (Brief comm.)
esophageal-pericardial, presenting as pericarditis (Meltzer et al.), 148 (Brief comm.)
multiple coronary arteriocameral, associated with d-transposition of the great vessels (Arensman, Schwartz, and Kaplan), 517 (Brief comm.)
Flecainide acetate, use of in the treatment of premature ventricular contractions (Abitbol et al.), 227
Flow-directed catheter, Swan-Ganz, transseptal left-heart catheterization with (Kotoda et al.), 436
Flutter, atrial, a case for intra-atrial Wenckebach heart block during (Delbaum, McAnulty, and Kloster), 690 (Brief comm.)
ventricular, spontaneous, and fibrillation during quinidine medication (Koenig and Schinz), 863 (Brief comm.)
Framingham Study, the: drinking habits and cardiovascular disease (Gordon and Kannel), 667
:vital capacity as a predictor of cardiovascular disease (Kannel, Hubert, and Lew), 311
Fulminant acute rheumatic fever with multisystem involvement (Escudero, Stanislawsky, and Escudero), 161 (Brief comm.)
aortic regurgitation, acute, in ankylosing spondylitis (Demoulin et al.), 859 (Brief comm.)

G

Genetic transmission of Prinzmetal's variant angina? (Mauritson et al.), 1049
Grafting, bypass, coronary artery, simple adjuncts which maintain septal temperature below 20° C during ischemic arrest for (Baumgartner et al.), 440
Great artery anatomy and right ventricular outflow in pulmonary atresia with ventricular septal defect, and in truncus arteriosus, two-dimensional echocardiographic study of (Barron et al.), 281

H

Haplotypes, HLA, and left ventricular outflow tract obstruction, two forms of hypertrophic cardiomyopathy distinguished by inheritance of (Kishimoto et al.), 988
HDL-cholesterol, fasting triglyceride, and total cholesterol in women, effects of cigarette smoking on (Willett et al.), 417
Heart(s), a new look at the—imaging metabolism and biochemistry (Schelbert, Phelps, and Shine), 522
athletic, in comparison with diseased hearts, myocardial mechanics of (Sugishita et al.), 273
block, Wenckebach, intra-atrial, during atrial flutter, a case for (Delbaum, McAnulty, and Kloster), 690 (Brief comm.)
Heart—*continued*
disease, absence of, ventricular fibrillation with spontaneous reversion on ambulatory ECG in the (Dubner et al.), 691 (Brief comm.)
chronic, response of the right ventricle to exercise in patients with (Weiner et al.), 386
coronary, documented, angina pectoris without ST-T changes in patients with (Haïat, Desoutter, and Stoltz), 883
hematocrit and the risk of: the Honolulu Heart Program (Carter et al.), 674
natural history of: a study of 586 men surviving an initial acute attack (Graham et al.), 249
response to supine bicycle exercise in normal subjects and in patients with: radionuclide analysis of ejection time, peak ejection rate, and time to peak ejection rate (Slutsky et al.), 802
ischemic, chronic, angiographic correlates of recurrent sustained ventricular tachycardia in (Lam et al.), 928
recurrent right ventricular tachycardia in patients without: clinical, hemodynamic, and angiographic findings (Pietras et al.), 357
observations on the relationship between digital heat loss and systemic hemodynamics in patients with (Takano et al.), 830
failure, congestive, adverse effects of long-term amrinone administration in (Dunkman, Wilen, and Franciosa), 861 (Brief comm.)
chronic, combined vasodilator therapy for (Cody, Franklin, and Laragh), 575
in childhood and adolescence: recognition and management (Artman, Parrish, and Graham), 471
pathogenesis and management of, revisited (Iseri and Benvenuti), 346
with renal disease, captopril in (David et al.), 873 (Letter)
Program, Honolulu, the: hematocrit and the risk of coronary heart disease (Carter et al.), 674
Heat loss, digital, observations on the relationship between and systemic hemodynamics in patients with heart disease (Takano et al.), 830
Hematocrit and the risk of coronary heart disease: the Honolulu Heart Program (Carter et al.), 674
Hematologic disorders, open-heart surgery in patients with (Chun, Flannery, and Bowen), 835
Hemodynamic(s), cardiac, reevaluation of role of atrial systole to: evidence for pulmonary venous regurgitation during abnormal atrioventricular sequencing (Naito et al.), 295
cardiopulmonary, and renin-angiotensin-aldosterone and bradykinin profile in hypertension, acute effects of captopril on (Mookherjee et al.), 106
data in 29 patients and review of the results of surgery, report on in endomyocardial fibrosis (Cherian et al.), 659
effects of massive peripheral edema (Magrini and Niarchos), 90
peripheral, in patients with Fabry's disease (Seino et al.), 783
study of nifedipine administration in hypertensive patients (Bonaduce et al.), 865 (Brief comm.)
systemic, and digital heat loss, observations on the relationship between in patients with heart disease (Takano et al.), 830
Hemorrhage, subarachnoid, spontaneous, simulating acute transmural myocardial infarction (Gascón et al.), 511 (Brief comm.)
His bundle recordings, chronic epicardial, in awake nonsedated dogs: a new method (Karpawich et al.), 16
-Purkinje system, "reversed" Wenckebach periodicity, a manifestation of concealed reentry in the (Littmann and Svenson), 154 (Brief comm.)
HLA haplotypes and left ventricular outflow tract obstruction, two forms of hypertrophic cardiomyopathy distinguished by inheritance of (Kishimoto et al.), 988
Holter monitoring and overdrive suppression test, comparative evaluation of depressed automaticity in sick sinus syndrome by (Hattori et al.), 587
Honolulu Heart Program, the: hematocrit and the risk of coronary heart disease (Carter et al.), 674
Hospital mortality, urban and rural, survey of in acute myocardial infarction (Morris et al.), 44

Hydroxylation, debrisoquine, prediction of subclinical perhexiline neuropathy in a patient with inborn error of (Shah et al.), 159 (Brief comm.)
Hypertension, accelerated, QRS vector changes with rapid reduction of blood pressure in (Lee et al.), 1038 (Brief comm.)
acute effects of captopril on cardiopulmonary hemodynamics and renin-angiotensin-aldosterone and bradykinin profile in (Mookherjee et al.), 106
captopril in, autonomic and baroreflex function after (Warren, O'Connor, and Cohen), 1002
nonpharmacologic therapy of: the independent effects of weight reduction and sodium restriction in overweight borderline hypertensive patients (Gillum et al.), 128
pulmonary, in isolated secundum atrial septal defect: high frequency in young patients (Cherian et al.), 952
primary, improved by long-term oral administration of nifedipine (Saito et al.), 1041 (Brief comm.)
nifedipine in the treatment of (Wise), 693 (Brief comm.)
reassessment of effects of vasodilator drugs in: guidelines for determining a pulmonary vasodilator response (Rich et al.), 119
sustained beneficial effect of nifedipine in (De Feyter, Kerkkamp, and de Jong), 333 (Brief comm.)
systolic, LV, persistent, real or potential complications of after acute myocardial infarction: aortic valve stenosis and left ventricular apical aneurysm and/or rupture (Roberts et al.), 513 (Brief comm.)
Hypertensive patients, hemodynamic study of nifedipine administration in (Bonaduce et al.), 865 (Brief comm.)
overweight borderline, independent effects of weight reduction and sodium restriction in: nonpharmacologic therapy of hypertension (Gillum et al.), 128
Hypertrophic cardiomyopathy (Goodwin), 697 (Letter)
Reply (Beder et al.), 697
angiographic evaluation of (Belsué), 165 (Letter)
Reply (Green and Elliott), 165
apical (Kereiakes et al.), 855 (Brief comm.)
resting and exercise left ventricular function in patients with (Manyari et al.), 980
two forms of distinguished by inheritance of HLA haplotypes and left ventricular outflow tract obstruction (Kishimoto et al.), 988
unusual long-term survival following cardiac arrest in (Ciró and Maron), 145 (Brief comm.)
nonobstructive cardiomyopathy, apical (Sheikhzadeh), 1043 (Letter)
Reply (Steingo and Barlow), 1043
Hypertrophy, cardiac, and norepinephrine in iron deficiency anemia (Rossi and Carillo), 874 (Letter)
right ventricular, echocardiographic detection of (Baker et al.), 611
Hypoperfused zone of the myocardium and the occurrence of ventricular fibrillation, relationship between the extent of the (Endo et al.), 915

I

Imaging, computed tomographic, differentiation of constrictive pericarditis from restrictive cardiomyopathy by (Isner et al.), 1019
metabolism and biochemistry—a new look at the heart (Schelbert, Phelps, and Shine), 522
Infarct extension, myocardial: prevalence, clinical significance, and problems in diagnosis (Buda et al.), 744
size in conscious dogs, effects of nitroglycerin-methoxamine combination on (Sheehan et al.), 37
Infarction, myocardial, a rare complication of diagnosed by two-dimensional echocardiography: elongate thrombus extending from left ventricular apex to outflow tract (McManus et al.), 327 (Brief comm.)
acute, alternating unilateral pulmonary edema following pneumothorax in (Keren, Tzivoni, and Stern), 156 (Brief comm.)
bundle branch block in (Hollander et al.), 738
effects of nitroprusside-induced reduction of elevated preload and afterload on global and regional ventricular function in (Shah et al.), 531
Infarction, myocardial, acute—*continued*
myoglobinemia in the early phase of (Drexel et al.), 642
reperfusion arrhythmia, a marker of restoration of antegrade flow during introcoronary thrombolysis for (Goldberg et al.), 26
: survey of urban and rural hospital mortality (Morris et al.), 44
transient QRS changes in variant angina simulating (Chava) 695 (Brief comm.)
effects of cardiac rehabilitation after: changes in coronary risk factors and long-term prognosis (Vermeulen, Lie, and Durrer), 798
electrophysiologic studies in survivors of late cardiac arrest after (Hamer et al.), 921
in patients with coronary artery spasm demonstrated by angiography (Cipriano et al.), 542
in young adults: risk factors and natural history (Uhl and Farrell), 548
roles of serum myoglobin, total CPK, and CK-MB isoenzyme in the acute phase of (Grenadier et al.), 408
serial electrocardiograms in the diagnosis of, assessment of the accuracy of (McQueen, Holder, and El-Maraghi), 258
transmural, acute, spontaneous subarachnoid hemorrhage simulating (Gascón et al.), 511 (Brief comm.)
right ventricular, functional consequences of interventricular septal involvement in: echocardiographic, clinical, and hemodynamic observations (Mikell, Asinger, and Hodges), 393
Injections, contrast, coronary artery, effects of coughing following (Little, Reeves, and Rogers), 507 (Brief comm.)
Intercostal muscle tic simulating ECG U waves (Borrello), 1047 (Letter)
Internal and coronary mammary arteries, comparison of and implications of the results in the etiology of arteriosclerosis (Sims), 560
Interval prolongation, QT, and increased plasma catecholamine levels in patients with mitral valve prolapse (Puddu et al.), 422
Interventricular septal involvement in right ventricular infarction, functional consequences of: echocardiographic, clinical, and hemodynamic observations (Mikell, Asinger, and Hodges), 393
Intra-aortic balloon counterpulsation in patients undergoing percutaneous transluminal coronary angioplasty (Alcan et al.), 527
-atrial Wenckebach heart block during atrial flutter, a case for (Delbaum, McAnulty, and Kloster), 690 (Brief comm.)
-cardiac foreign body, nonsurgical retrieval of: use of Berens pacing electrode (Kaushik and Ong), 868 (Brief comm.)
-cavitary and intramyocardial pressure, relation of to regional myocardial asynergy in the canine left ventricle (Sabbah and Stein), 380
-coronary nitroglycerin, nifedipine alone and in combination with in patients with coronary artery disease, analysis of coronary responses to (Feldman et al.), 651
papaverine in patients with coronary artery disease, regional myocardial perfusion at rest and during (Goldman et al.), 372
thrombolysis for acute myocardial infarction, antegrade flow during, reperfusion arrhythmia, a marker of restoration of (Goldberg et al.), 26
-hepatic arteriovenous fistulas, multiple, Osler-Weber-Rendu disease with (Danchin et al.), 856 (Brief comm.)
-myocardial and intracavitary pressure, relation of to regional myocardial asynergy in the canine left ventricle (Sabbah and Stein), 380
Intravenous mexiletine in management of lidocaine-resistant ventricular tachycardia (Santinelli et al.), 680 (Brief comm.)
N-acetylprocainamide in patients with ventricular dysrhythmias, electrophysiologic properties and antiarrhythmic mechanisms of (Sung, Juma, and Saksena), 811
verapamil as a method of defining multiple electrophysiologic types: atrioventricular node reentry (Hamer, Peter, and Mandel), 629
is it safe to use to treat a patient who is taking oral verapamil? (Pritchett et al.), 329 (Brief comm.)

Iron deficiency anemia, norepinephrine and cardiac hypertrophy in (Rossi and Carillo), 874 (Letter)
extravasated erythrocytes, and fibrin in atherosclerotic plaques of coronary arteries in fatal coronary heart disease and their relation to luminal thrombus: frequency and significance in 57 necropsy patients and in 2958 five mm segments of 224 major epicardial coronary arteries (Virmani and Roberts), 788
Irradiation, laser, of human atherosclerotic obstructive disease: simultaneous visualization and vaporization achieved by a dual fiberoptic catheter (Lee et al.), 163 (Brief comm.)
qualitative effects of on human arteriosclerotic disease (Lee et al.), 885
Is it safe to use intravenous verapamil to treat a patient who is taking oral verapamil? (Pritchett et al.), 329 (Brief comm.)
Ischemia, acute, and reperfusion, electrophysiologic effects of bretylium on canine ventricular muscle during (Fujimoto et al.), 966
-induced impairment of left ventricular relaxation: relation to reduced diastolic filling rates of the left ventricle (Gewirtz et al.), 72
ventricular fibrillation, electrophysiologic observations during the spontaneous initiation of (Fujimoto et al.), 189
myocardial, acute, antiarrhythmic actions of nifedipine in (Lubbe, McLean, and Nguyen), 331 (Brief comm.)
and reperfusion, relationship between sympathetic neural activity, coronary dynamics, and vulnerability to ventricular fibrillation during (Lombardi, Verrier, and Lown), 958
subendocardial, role of in perpetuating myocardial failure in patients with nonischemic congestive cardiomyopathy (Unverferth et al.), 176
Ischemic arrest, simple adjuncts which maintain septal temperature below 20° C during for coronary artery bypass grafting (Baumgartner et al.), 440
conduction disturbance, effort syncope in aortic stenosis, electrocardiographic correlate of (Croft, Opie, and Kennelly), 153 (Brief comm.)
heart disease, chronic, angiographic correlates of recurrent sustained ventricular tachycardia in (Lam et al.), 928
recurrent right ventricular tachycardia in patients without: clinical, hemodynamic, and angiographic findings (Pietras et al.), 357
Isoenzyme, CK-MB, serum myoglobin, and total CPK, roles of in the acute phase of myocardial infarction (Grenadier et al.), 408
MB, serum creatine kinase, in acute and chronic alcoholism (Eckfeldt, Weir, and Chesler), 1032 (Brief comm.)
Isometric exercise, comparison with the positive chronotropic effect of: atropine-induced cardioacceleration in patients on chronic propranolol therapy (Flessas and Ryan), 230
effects of nitroglycerin on (Flessas and Ryan), 239

J

Jaccoud, chronic post-rheumatic fever arthropathy of (Bittl and Perloff), 515 (Brief comm.)
Junctional tachycardias, mechanisms of in the Lown-Ganong-Levine syndrome (Ward and Camm), 169

K

Kinase, creatine, in humans, direct determination of distribution volume and disappearance rate of (Tommasini et al.), 402

L

Large dose aspirin effects on attacks of variant angina (Miwa, Kambara, and Kawai), 351
Laser irradiation of human atherosclerotic obstructive disease: simultaneous visualization and vaporization achieved by a dual fiberoptic catheter (Lee et al.), 163 (Brief comm.)
Laser irradiation—*continued*
on human arteriosclerotic disease, the qualitative effects of (Lee et al.), 885
Left anterior descending coronary artery, dual, angiographic description of important variants and surgical implications (Spindola-Franco, Grose, and Solomon), 445
atrial myxoma, diagnosis of by coronary angiography 8 years following open mitral commissurotomy (Shapiro et al.), 325 (Brief comm.)
bundle branch block, left ventricular performance during exercise in patients with: evaluation by gated radionuclide ventriculography (Rowe et al.), 66
-heart catheterization, transseptal, with Swan-Ganz flow-directed catheter (Kotoda et al.), 436
ventricle, canine, relation of intramyocardial and intracavitary pressure to regional myocardial asynergy in the (Sabbah and Stein), 380
reduced diastolic filling rates of the, relation of ischemia-induced impairment of left ventricular relaxation to (Gewirtz et al.), 72
ventricular apex sump aneurysm, ventricular tachycardia associated with a in an adolescent (Weesner et al.), 334 (Brief comm.)
to outflow tract, elongate thrombus extending from: a rare complication of myocardial infarction diagnosed by two-dimensional echocardiography (McManus et al.), 327 (Brief comm.)
diastolic pressure-volume curves in dogs with sustained volume overload, influence of the pericardium on (Bhargava et al.), 995
end-diastolic pressure during atrial pacing, changes in, relationship to pulmonary blood volume (Tubau et al.), 940
function, postextrasystolic potentiated, in patients with coronary artery disease, effects of propranolol on resting and (Friedman et al.), 81
resting and exercise, in patients with hypertrophic cardiomyopathy (Manyari et al.), 980
systolic and diastolic, in dogs, effects of direct-current electrical shocks on (Ditchey and LeWinter), 727
outflow tract obstruction and HLA haplotypes, two forms of hypertrophic cardiomyopathy distinguished by inheritance of (Kishimoto et al.), 988
papillary muscles in their long axes, two-dimensional echocardiographic assessment of: a new cross-sectional approach (Tei et al.), 505 (Brief comm.)
performance during exercise in patients with left bundle branch block: evaluation by gated radionuclide ventriculography (Rowe et al.), 66
relaxation, ischemia-induced impairment of: relation to reduced diastolic filling rates of the left ventricle (Gewirtz et al.), 72
size, effect of undisturbed pericardium on and performance during acute volume loading (Crawford, Badke, and Amon), 267
Lesions, right atrial, relationship of extent of to subsidiary pacemaker shift and its function: experimental studies on sick sinus syndrome (Ishikawa et al.), 593
Lidocaine-resistant ventricular tachycardia, intravenous mexiletine in management of (Santinelli et al.), 680 (Brief comm.)
toxicity, mechanisms of (Gilman and Egol), 872 (Letter)
Lipid profiles, lipoprotein, exercise training improves in patients with coronary artery disease (Heath et al.), 889
Lipoprotein lipid profiles, exercise training improves in patients with coronary artery disease (Heath et al.), 889
Long-term amrinone administration in congestive heart failure, adverse effects of (Dunkman, Wilen, and Franciosa), 861 (Brief comm.)
antianginal efficacy of sotalol (Milei et al.), 873 (Letter)
efficacy of verapamil in treatment of paroxysmal supraventricular tachycardias (Lie et al.), 688 (Brief comm.)
survival, unusual, following cardiac arrest in hypertrophic cardiomyopathy (Ciró and Maron), 145 (Brief comm.)
Longitudinal dissociation in the microreentry pathway, the concept of: ventricular parasystole and couplets (Kinoshita and Kawasaki), 1050
Lown-Ganong-Levine syndrome, mechanisms of junctional tachycardias in the (Ward and Camm), 169

M

M-mode and two-dimensional echocardiographic correlation with findings at catheterization and surgery in patients with mitral stenosis (Glover et al.), 98
Malfunction of mitral Björk-Shiley valve (Bonchek), 521 (Letter)
Reply (Bloor), 521
Malignant ventricular arrhythmia, use of nonsustained ventricular tachycardia as a guide to antiarrhythmic drug therapy in patients with (Podrid et al.), 181
Mammary arteries, coronary and internal, a comparison of and implications of the results in the etiology of arteriosclerosis (Sims), 560
Management and pathogenesis of congestive heart failure—revisited (Iseri and Benvenuti), 346
Massive peripheral edema, hemodynamic effects of (Magrini and Niarchos), 90
Mechanisms of lidocaine toxicity (Gilman and Egol), 872 (Letter)
Metabolism and biochemistry, imaging—a new look at the heart (Schelbert, Phelps, and Shine), 522
fatty acid, myocardial, regional, with positron computed tomography, C-11 palmitate for the noninvasive evaluation of. III. In vivo demonstration of the effects of substrate availability on myocardial metabolism (Schelbert et al.), 492
myocardial, and coronary dynamics at rest and during pacing-induced angina in patients with coronary artery disease, effects of oral dipyridamole on (Loeb et al.), 906
in vivo demonstration of the effects of substrate availability on. III. C-11 palmitate for the noninvasive evaluation of regional myocardial fatty acid metabolism with positron computed tomography (Schelbert et al.), 492
Methoxamine-nitroglycerin combination, effects of on infarct size in conscious dogs (Sheehan et al.), 37
Methyldopa and retroperitoneal fibrosis (Ahmad), 1037 (Brief comm.)
Methysergide and aspirin, effects of on responses to clot-induced pulmonary embolism (Todd, Forrest, and Cragg), 769
Metoprolol in the prevention of dysrhythmias during minor dental surgery (Ward-Booth et al.), 689 (Brief comm.)
Mexiletine, intravenous, in management of lidocaine-resistant ventricular tachycardia (Santinelli et al.), 680 (Brief comm.)
Microreentry pathway, the concept of longitudinal dissociation in the: ventricular parasystole and couplets (Kinoshita and Kawasaki), 1050
Minneapolis Children's Blood Pressure Study, the: elevated blood pressure in school children—prevalence, persistence, and hemodynamics (Gillum et al.), 316
Mitral and tricuspid valves, porcine, regurgitant, echo-phonocardiographic features of presenting with musical murmurs (Alam, Garcia, and Goldstein), 456
anulus calcification (Glaser), 343 (Letter)
Reply (Mellino et al), 344
Björk-Shiley valve, malfunction of (Bonchek), 521 (Letter)
Reply (Bloor), 521
commissurotomy, open, diagnosis of left atrial myxoma by coronary angiography 8 years following (Shapiro et al.), 325 (Brief comm.)
stenosis, congenital, mitral valve calcification in (Rodan et al.), 514 (Brief comm.)
M-mode and two-dimensional echocardiographic correlation with findings at catheterization and surgery in patients with (Glover et al.), 98
valve calcification in congenital mitral stenosis (Rodan et al.), 514 (Brief comm.)
prolapse and systolic anterior motion: a dynamic spectrum (Kessler et al.), 685 (Brief comm.)
QT interval prolongation and increased plasma catecholamine levels in patients with (Puddu et al.), 422
syndrome, prevalence of ruptured chordae tendineae in the (Grenadier, Keidar, and Palant), 603
Monitoring, ambulatory ST segment (Cocco), 342 (Letter)
Reply (Bragg-Remschel, Anderson, and Winkle), 342
Monitoring—*continued*
Holter, and overdrive suppression test, comparative evaluation of depressed automaticity in sick sinus syndrome by (Hattori et al.), 587
Mortality, hospital, urban and rural, survey of in acute myocardial infarction (Morris et al.), 44
Murmurs, musical, echo-phonocardiographic features of regurgitant porcine mitral and tricuspid valves presenting with (Alam, Garcia, and Goldstein), 456
Muscle tic, intercostal, simulating ECG U waves (Borrello), 1047 (Letter)
ventricular, canine, electrophysiologic effects of bretylium on during acute ischemia and reperfusion (Fujimoto et al), 966
Muscular dystrophy, Duchenne's, acute respiratory failure following intravenous verapamil in (Zalman et al.), 510 (Brief comm.)
Musical murmurs, echo-phonocardiographic features of regurgitant porcine mitral and tricuspid valves presenting with (Alam, Garcia, and Goldstein), 456
Myocardial asynergy, regional, in the canine left ventricle, relation of intramyocardial and intracavitary pressure to (Sabbah and Stein), 380
failure, role of subendocardial ischemia in perpetuating in patients with nonischemic congestive cardiomyopathy (Unverferth et al.), 176
fatty acid metabolism, regional, with positron computed tomography, C-11 palmitate for the noninvasive evaluation of. III. In vivo demonstration of the effects of substrate availability on myocardial metabolism (Schelbert et al.), 492
infarct extension: prevalence, clinical significance, and problems in diagnosis (Buda et al.), 744
infarction, a rare complication of diagnosed by two-dimensional echocardiography: elongate thrombus extending from left ventricular apex to outflow tract (McManus et al.), 327 (Brief comm.)
acute, alternating unilateral pulmonary edema following pneumothorax in (Keren, Tzivoni, and Stern), 156 (Brief comm.)
bundle branch block in (Hollander et al.), 738
effects of nitroprusside-induced reduction of elevated preload and afterload on global and regional ventricular function in (Shah et al.), 531
myoglobinemia in the early phase of (Drexel et al.), 642
real or potential complications of persistent left ventricular systolic hypertension after: aortic valve stenosis and left ventricular apical aneurysm and/or rupture (Roberts et al.), 513 (Brief comm.)
reperfusion arrhythmia, a marker of restoration of antegrade flow during intracoronary thrombolysis for (Goldberg et al.), 26
:survey of urban and rural hospital mortality (Morris et al.), 44
transient QRS changes in variant angina simulating (Chava), 695 (Brief comm.)
effects of cardiac rehabilitation after: changes in coronary risk factors and long-term prognosis (Vermeulen, Lie, and Durrer), 798
electrophysiologic studies in survivors of late cardiac arrest after (Hamer et al.), 921
in patients with coronary artery spasm demonstrated by angiography (Cipriano et al.), 542
in young adults: risk factors and natural history (Uhl and Farrell), 548
roles of serum myoglobin, total CPK, and CK-MB isoenzyme in the acute phase of (Grenadier et al.), 408
serial electrocardiograms in the diagnosis of, assessment of accuracy of (McQueen, Holder, and El-Maraghi), 258
transmural, acute, spontaneous subarachnoid hemorrhage simulating (Gascón et al.), 511 (Brief comm.)
ischemia, acute, antiarrhythmic actions of nifedipine in (Lubbe, McLean, and Nguyen), 331 (Brief comm.)
and reperfusion, relationship between sympathetic neural activity, coronary dynamics, and vulnerability to ventricular fibrillation during (Lombardi, Verrier, and Lown), 958
mechanics of athletic hearts in comparison with diseased hearts (Sugishita et al.), 273

Myocardial—*continued*
metabolism and coronary dynamics at rest and during pacing-induced angina in patients with coronary artery disease, effects of oral dipyridamole on (Loeb et al.), 906
in vivo demonstration of the effects of substrate availability on. III. C-11 palmitate for the noninvasive evaluation of regional myocardial fatty acid metabolism with positron computed tomography (Schelbert et al.), 492
perfusion, regional, at rest and during intracoronary papaverine in patients with coronary artery disease (Goldman et al.), 372
reperfusion in Prinzmetal's angina, ventricular fibrillation caused by (Tzivoni et al.), 323 (Brief comm.)
Myocardium, cat, effects of arrhythmia-producing concentrations of digitoxin on mechanical performance of (Williams, Potter, and Mathew), 21
hypoperfused zone of, relationship between the extent of and the occurrence of ventricular fibrillation (Endo et al.), 915
Myoglobin, serum, total CPK, and CK-MB isoenzyme, roles of in the acute phase of myocardial infarction (Grenadier et al.), 408
Myoglobinemia in the early phase of acute myocardial infarction (Drexel et al.), 642
Myxoma(s), left atrial, diagnosis of by coronary angiography 8 years following open mitral commissurotomy (Shapiro et al.), 325 (Brief comm.)
right heart, bedside diagnosis of through detection of palpable tumor shocks and audible plops (Massumi), 303

N

N-acetylprocainamide, intravenous, in patients with ventricular dysrhythmias, electrophysiologic properties and antiarrhythmic mechanisms of (Sung, Juma, and Saksena), 811
Neural activity, sympathetic, coronary dynamics, and vulnerability to ventricular fibrillation during myocardial ischemia and reperfusion, relationship between (Lombardi, Verrier, and Lown), 958
Neuropathy, perhexiline, prediction of subclinical, in a patient with inborn error of debrisoquine hydroxylation (Shah et al.), 159 (Brief comm.)
New nitrate delivery systems: buccal nitroglycerin (Abrams), 848
Nifedipine, a calcium antagonist, on platelet function, effects of (Dale, Landmark, and Myhre), 103
administration in hypertensive patients, hemodynamic study of (Bonaduce et al.), 865 (Brief comm.)
alone and in combination with intracoronary nitroglycerin in patients with coronary artery disease, analysis of coronary responses to (Feldman et al.), 651
antiarrhythmic actions of in acute myocardial ischemia (Lubbe, McLean, and Nguyen), 331 (Brief comm.)
in primary pulmonary hypertension, sustained beneficial effect of (De Feyter, Kerkkamp, and de Jong), 333 (Brief comm.)
in the treatment of primary pulmonary hypertension (Wise), 693 (Brief comm.)
long-term oral administration of, primary pulmonary hypertension improved by (Saito et al.), 1041 (Brief comm.)
Nitrate delivery systems, new: buccal nitroglycerin (Abrams), 848
Nitroglycerin, buccal: new nitrate delivery systems (Abrams), 848
in coronary disease during arteriography, reversibility of collaterals by (Matsuda et al.), 1029 (Brief comm.)
intracoronary, nifedipine alone and in combination with in patients with coronary artery disease, analysis of coronary responses to (Feldman et al.), 651
-methoxamine combination, effects of on infarct size in conscious dogs (Sheehan et al.), 37
on isometric exercise, effects of (Flessas and Ryan), 239
sublingual, and spontaneous angina pectoris, response to in patients with coronary artery disease: radionuclide analysis of pulmonary blood volume (Slutsky et al.), 243
Nitroprusside-induced reduction of elevated preload and afterload on global and regional ventricular function in acute myocardial infarction, effects of (Shah et al.), 531
Node reentry, atrioventricular: intravenous verapamil as a method of defining multiple electrophysiologic types (Hamer, Peter, and Mandel), 629
Nonischemic congestive cardiomyopathy, role of subendocardial ischemia in perpetuating myocardial failure in patients with (Unverferth et al.), 176
Nonobstructive cardiomyopathy, apical hypertrophic (Sheikhzadeh), 1043 (Letter)
Reply (Steingo and Barlow), 1043
Nonpharmacologic therapy of hypertension: the independent effects of weight reduction and sodium restriction in overweight borderline hypertensive patients (Gillum et al.), 128
Nonsurgical retrieval of intracardiac foreign body: use of Berens pacing electrode (Kaushik and Ong), 868 (Brief comm.)
Norepinephrine and cardiac hypertrophy in iron deficiency anemia (Rossi and Carillo), 874 (Letter)

O

Obstructive disease, human atherosclerotic, laser irradiation of: simultaneous visualization and vaporization achieved by a dual fiberoptic catheter (Lee et al.), 163 (Brief comm.)
^{125}I-fibrinogen-sum-coincidence method, depth localization of thrombi and dynamic studies of postoperative thrombosis using the (Bernstein et al.), 614
Open-heart surgery in patients with hematologic disorders (Chun, Flannery, and Bowen), 835
Oral verapamil, is it safe to use intravenous verapamil to treat a patient who is taking? (Pritchett et al.), 329 (Brief comm.)
Osler-Weber-Rendu disease with multiple intrahepatic arteriovenous fistulas (Danchin et al.), 856 (Brief comm.)
Outflow tract, elongate thrombus extending from left ventricular apex to: a rare complication of myocardial infarction diagnosed by two-dimensional echocardiography (McManus et al.), 327 (Brief comm.)
obstruction, left ventricular, and HLA haplotypes, two forms of hypertrophic cardiomyopathy distinguished by inheritance of (Kishimoto et al.), 988
Overdrive suppression of sinus node, quantitative effects of duration and frequency of atrial pacing and of vagal and sympathetic stimulation upon: interactions among the critical factors affecting sinus node function (Kerin et al.), 215
test and Holter monitoring, comparative evaluation of depressed automaticity in sick sinus syndrome by (Hattori et al.), 587
Overload, volume, sustained, influence of the pericardium on left ventricular diastolic pressure-volume curves in dogs with (Bhargava et al.), 995
Overweight borderline hypertensive patients, independent effects of weight reduction and sodium restriction in: nonpharmacologic therapy of hypertension (Gillum et al.), 128

P

Pacemaker shift, subsidiary, and its function, relationship of extent of right atrial lesions to: experimental studies on sick sinus syndrome (Ishikawa et al.), 593
Pacing, atrial, changes in left ventricular end-diastolic pressure during, relationship to pulmonary blood volume (Tubau et al.), 940
overdrive, sinus node recovery times following the spontaneous termination of supraventricular tachycardia and following: a comparison (Gang et al.), 210
quantitative effects of the duration and frequency of and of vagal and sympathetic stimulation upon overdrive suppression of the sinus node: interactions among the critical factors affecting sinus node function (Kerin et al.), 215

Pacing—*continued*
electrode, Berens, use of in nonsurgical retrieval of intracardiac foreign body (Kaushik and Ong), 868 (Brief comm.)
-induced angina in patients with coronary artery disease, effects of oral dipyridamole on coronary dynamics and myocardial metabolism at rest and during (Loeb et al.), 906
termination and acceleration of ventricular tachycardia, influence of tachycardia cycle length and antiarrhythmic drugs on (Naccarelli et al.), 1
transvenous, in pediatric patients (Gillette et al.), 843
Palmitate, C-11, for the noninvasive evaluation of regional myocardial fatty acid metabolism with positron computed tomography. III. In vivo demonstration of the effects of substrate availability on myocardial metabolism (Schelbert et al.), 492
Papaverine, intracoronary, in patients with coronary artery disease, regional myocardial perfusion at rest and during (Goldman et al.), 372
Papillary muscles, LV, in their long axes, two-dimensional echocardiographic assessment of: a new cross-sectional approach (Tei et al.), 505 (Brief comm.)
Paradoxical sleep, arrhythmogenic properties of (Saito et al.), 875 (Letter)
Parasystole, ventricular, and couplets: the concept of longitudinal dissociation in the microreentry pathway (Kinoshita and Kawasaki), 1050
Paroxysmal supraventricular tachycardia(s), acute and chronic effects of verapamil in patients with (Sakurai et al.), 619
long-term efficacy of verapamil in treatment of (Lie et al.), 688 (Brief comm.)
Pathogenesis and management of congestive heart failure—revisited (Iseri and Benvenuti), 346
Pathologic study of echocardiography and coronary atherosclerosis (Jordaens et al.), 1043 (Letter)
Pectoris, angina, effect of a 12-hour hiatus in propranolol therapy on exercise tolerance in patients with (Bassan and Weiler-Ravell), 234
evaluation of systolic time intervals in patients with (Randazzo et al.), 756
without ST-T changes in patients with documented coronary heart disease (Haïat, Desoutter, and Stoltz), 883
Pediatric patients, transvenous pacing in (Gillette et al.), 843
Percutaneous transluminal coronary angioplasty, role of intra-aortic balloon counterpulsation in patients undergoing (Alcan et al.), 527
Perfusion bed size, effect of: determinants of arrhythmic death during coronary artery reperfusion (Sheehan and Epstein), 911
conditions and exogenous vasodilators, role of: effect of coronary vasodilation on ventricular fibrillation threshold (Kralios, Tsagaris, and Kuida), 580
myocardial, regional, at rest and during intracoronary papaverine in patients with coronary artery disease (Goldman et al.), 372
Perhexiline neuropathy, prediction of subclinical, in a patient with inborn error of debrisoquine hydroxylation (Shah et al.), 159 (Brief comm.)
Pericardial-esophageal fistula presenting as pericarditis (Meltzer et al.), 148 (Brief comm.)
Pericarditis, constrictive, differentiation of from restrictive cardiomyopathy by computed tomographic imaging (Isner et al.), 1019
esophageal-pericardial fistula presenting as (Meltzer et al.), 148 (Brief comm.)
Pericardium, influence of the on left ventricular diastolic pressure-volume curves in dogs with sustained volume overload (Bhargava et al.), 995
undisturbed, effect of on left ventricular size and performance during acute volume loading (Crawford, Badke, and Amon), 267
Peripheral edema, massive, hemodynamic effects of (Magrini and Niarchos), 90
hemodynamics in patients with Fabry's disease (Seino et al.), 783
Pharmacologic agents in patients with coronary artery disease, response of radionuclide evaluation of the systolic blood pressure/end-systolic volume relationship to (Slutsky, Watkins, and Costello), 53
Pheochromocytoma, urinary catecholamines in (Borrello), 697 (Letter)
Reply (Nanji and Blank), 697
Physiologic responses to epinephrine infusion: the basis for a new stress test for coronary artery disease (Schechter, Wilson, and Kong), 554
Plasma catecholamine levels, increased, and QT interval prolongation in patients with mitral valve prolapse (Puddu et al.), 422
Platelet function, effects of nifedipine, a calcium antagonist, on (Dale, Landmark, and Myhre), 103
-vessel wall prostaglandin equilibrium during exercise-induced stress, significance of (Mehta, Mehta, and Horalek), 895
Plops, audible, and palpable tumor shocks, bedside diagnosis of right heart myxomas through detection of (Massumi), 303
Pneumothorax, alternating unilateral pulmonary edema following in acute myocardial infarction (Keren, Tzivoni, and Stern), 156 (Brief comm.)
Polygraphic recordings, 24-hour, studies of arrhythmias by: relationship between atrioventricular block and sleep states (Otsuka, Ichimaru, and Yanaga), 934
Polymorphous ventricular tachycardia, amiodarone-induced (Sclarovsky et al.), 6
Porcine mitral and tricuspid valves, regurgitant, echo-phonocardiographic features of presenting with musical murmurs (Alam, Garcia, and Goldstein), 456
xenograft valves, Q fever endocarditis of (Ross, Jacobson, and Muir), 151 (Brief comm.)
Postextrasystolic potentiated left ventricular function in patients with coronary artery disease, effects of propranolol on resting and (Friedman et al.), 81
Postoperative abnormal septal motion (Verheugt), 698 (Letter)
Reply (Kerber and Litchfield), 698
Post-rheumatic fever arthropathy of Jaccoud, chronic (Bittl and Perloff), 515 (Brief comm.)
Prazosin therapy for refractory variant angina (Tzivoni et al.), 262
unloading effects of in patients with chronic aortic regurgitation (Jebavý, Koudelková, and Henzlová), 567
Predictor of cardiovascular disease, vital capacity as a: Framingham Study (Kannel, Hubert, and Lew), 311
Preload and afterload, elevated, effects of nitroprusside-induced reduction of on global and regional ventricular function in acute myocardial infarction (Shah et al.), 531
Premature ventricular contractions, use of flecainide acetate in the treatment of (Abitbol et al.), 227
Pressure, blood, rapid reduction of in accelerated hypertension, QRS vector changes with (Lee et al.), 1038 (Brief comm.)
end-diastolic, left ventricular, during atrial pacing, changes in, relationship to pulmonary blood volume (Tubau et al.), 940
intramyocardial and intracavitary, relation of to regional myocardial asynergy in the canine left ventricle (Sabbah and Stein), 380
related echocardiographic changes, blood, in adolescents and young adults (Johnson et al.), 113
-volume curves, diastolic, left ventricular, in dogs with sustained volume overload, influence of the pericardium on (Bhargava et al.), 995
Primary pulmonary hypertension improved by long-term oral administration of nifedipine (Saito et al.), 1041 (Brief comm.)
nifedipine in the treatment of (Wise), 693 (Brief comm.)
reassessment of effects of vasodilator drugs in: guidelines for determining a pulmonary vasodilator response (Rich et al.), 119
sustained beneficial effect of nifedipine in (De Feyter, Kerkkamp, and de Jong), 333 (Brief comm.)
Prinzmetal's angina, ventricular fibrillation caused by myocardial reperfusion in (Tzivoni et al.), 323 (Brief comm.)
variant angina: is it transmitted genetically? (Mauritson et al.), 1049
Procainamide, sustained-release, new, agranulocytosis due to (Berger and Hauser), 1035 (Brief comm.)
Prognostic assessment of patients with coronary artery disease by exercise testing (Weiner, McCabe, and Ryan), 749
Prolapse, mitral valve, and systolic anterior motion: a dynamic spectrum (Kessler et al.), 685 (Brief comm.)

Prolapse, mitral valve—*continued*
QT interval prolongation and increased plasma catecholamine levels in patients with (Puddu et al.), 422
syndrome, mitral valve, prevalence of ruptured chordae tendineae in the (Grenadier, Keidar, and Palant), 603
Propranolol, effects of on resting and postextrasystolic potentiated left ventricualr function in patients with coronary artery disease (Friedman et al.), 81
therapy, chronic, atropine-induced cardioacceleration in patients on: comparison with the positive chronotropic effect of isometric exercise (Flessas and Ryan), 230
12-hour hiatus in, effect of on exercise tolerance in patients with angina pectoris (Bassan and Weiler-Ravell), 234
Prostaglandin equilibrium, platelet-vessel wall, significance of during exercise-induced stress (Mehta, Mehta, and Horalek), 895
Pulmonary atresia with ventricular septal defect, and in truncus arteriosus, two-dimensional echocardiographic study of right ventricular outflow and great artery anatomy in (Barron et al.), 281
blood volume, radionuclide analysis of: the response to spontaneous angina pectoris and sublingual nitroglycerin in patients with coronary artery disease (Slutsky et al.), 243
:relationship to changes in left ventricular end-diastolic pressure during atrial pacing (Tubau et al.), 940
edema, alternating unilateral, following pneumothorax in acute myocardial infarction (Keren, Tzivoni, and Stern), 156 (Brief comm.)
embolism, clot-induced, effects of aspirin and methysergide on responses to (Todd, Forrest, and Cragg), 769
massive, absence of ventricular tachyarrhythmias in (Carbonin et al.), 1036 (Brief comm.)
hypertension in isolated secundum atrial septal defect: high frequency in young patients (Cherian et al.), 952
primary, improved by long-term oral administration of nifedipine (Saito et al.), 1041 (Brief comm.)
nifedipine in the treatment of (Wise), 693 (Brief comm.)
reassessment of effects of vasodilator drugs in: guidelines for determining a pulmonary vasodilator response (Rich et al.), 119
sustained beneficial effect of nifedipine in (De Feyter, Kerkkamp, and de Jong), 333 (Brief comm.)
vasodilator response, guidelines for determining a: reassessment of effects of vasodilator drugs in primary pulmonary hypertension (Rich et al.), 119
venous flow, detection of by pulsed Doppler echocardiography in children (Pickoff et al.), 826
regurgitation during abnormal atrioventricular sequencing, evidence for: reevaluation of role of atrial systole to cardiac hemodynamics (Naito et al.), 295

Q

Q fever endocarditis of porcine xenograft valves (Ross, Jacobson, and Muir), 151 (Brief comm.)
QRS changes, transient, in variant angina simulating acute myocardial infarction (Chava), 695 (Brief comm.)
variations, dynamic, in Wolff-Parkinson-White syndrome: electrocardiographic and clinical observations (Khair, Tristani, and Bamrah), 878
vector changes with rapid reduction of blood pressure in accelerated hypertension (Lee et al.), 1038 (Brief comm.)
QT interval prolongation and increased plasma catecholamine levels in patients with mitral valve prolapse (Puddu et al.), 422
prolongation, disopyramide-induced, and ventricular tachyarrhythmias (Riccioni, Castiglioni, and Bartolomei), 870 (Brief comm.)
Quinidine and digoxin, drug toxicity in patients receiving (Walker et al.), 1025
and disopyramide, concurrent use of: evaluation of serum concentrations and electrocardiographic effects (Baker et al.), 12
medication, spontaneous ventricular flutter and fibrillation during (Koenig and Schinz), 863 (Brief comm.)

R

R-wave changes with duration of ST segment depression in a simplified index, improving diagnostic accuracy of the exercise test by combining (Berman et al.), 60
Radionuclide analysis of ejection time, peak ejection rate, and time to peak ejection rate: response to supine bicycle exercise in normal subjects and in patients with coronary heart disease (Slutsky et al.), 802
of pulmonary blood volume: the response to spontaneous angina pectoris and sublingual nitroglycerin in patients with coronary artery disease (Slutsky et al.), 243
of right and left ventricular response to exercise in patients with atrial and ventricular septal defects (Peter, Bowyer, and Jones), 428
evaluation of the systolic blood pressure/end-systolic volume relationship: response to pharmacologic agents in patients with coronary artery disease (Slutsky, Watkins, and Costello), 53
ventriculography, gated, evaluation of left ventricular performance during exercise in patients with left bundle branch block by (Rowe et al.), 66
Receptor stimulation, alpha-adrenergic, on ventricular electrical properties in the normal canine heart, effect of (Kowey, Verrier, and Lown), 366
Recordings, chronic epicardial His bundle, in awake nonsedated dogs: a new method (Karpawich et al.), 16
Reentry, concealed, in the His-Purkinje system, "reversed" Wenckebach periodicity, a manifestation of (Littmann and Svenson), 154 (Brief comm.)
Regurgitant porcine mitral and tricuspid valves presenting with musical murmurs, echophonocardiographic features of (Alam, Garcia, and Goldstein), 456
Regurgitation, aortic, chronic, unloading effects of prazosin in patients with (Jebavý, Koudelková, and Henzlová), 567
fulminant, acute, in ankylosing spondylitis (Demoulin et al.), 859 (Brief comm.)
pulmonary venous, during abnormal atrioventricular sequencing, evidence for: reevaluation of role of atrial systole to cardiac hemodynamics (Naito et al.), 295
Rehabilitation, cardiac, effects of after myocardial infarction: changes in coronary risk factors and long-term prognosis (Vermeulen, Lie, and Durrer), 798
following coronary artery bypass surgery (Murray and Beller), 1009
Renal disease with heart failure, captopril in (David et al.), 873 (Letter)
Renin-angiotensin-aldosterone and bradykinin profile in hypertension, acute effects of captopril on cardiopulmonary hemodynamics and (Mookherjee et al.), 106
Reperfusion and acute ischemia, electrophysiologic effects of bretylium on canine ventricular muscle during (Fujimoto et al.), 966
and myocardial ischemia, relationship between sympathetic neural activity, coronary dynamics, and vulnerability to ventricular fibrillation during (Lombardi, Verrier, and Lown), 958
arrhythmia: a marker of restoration of antegrade flow during intracoronary thrombolysis for acute myocardial infarction (Goldberg et al.), 26
coronary artery, determinants of arrhythmic death during: effect of perfusion bed size (Sheehan and Epstein), 911
electrophysiologic observations on ventricular tachyarrhythmias following (Fujimoto et al.), 201
myocardial, in Prinzmetal's angina, ventricular fibrillation caused by (Tzivoni et al.), 323 (Brief comm.)
Resistance vessel versus epicardial spasm in vasotonic angina (Hellstrom), 1045 (Letter)
(Singh), 1046
Reply (Walinsky), 1047
Respiratory failure, acute, following intravenous verapamil in Duchenne's muscular dystrophy (Zalman et al.), 510 (Brief comm.)
Resting and exercise left ventricular function in patients with hypertrophic cardiomyopathy (Manyari et al.), 980
Restrictive cardiomyopathy, differentiation from constrictive pericarditis by computed tomographic imaging (Isner et al.), 1019

Retrieval, nonsurgical, of intracardiac foreign body: use of Berens pacing electrode (Kaushik and Ong), 868 (Brief comm.)
Retroperitoneal fibrosis and methyldopa (Ahmad), 1037 (Brief comm.)
"Reversed" Wenckebach periodicity: a manifestation of concealed reentry in the His-Purkinje system (Littmann and Svenson), 154 (Brief comm.)
Reversion, spontaneous, on ambulatory ECG in the absence of heart disease, ventricular fibrillation with (Dubner et al.), 691 (Brief comm.)
Rheumatic fever, fulminant acute, with multisystem involvement (Escudero, Stanislawsky, and Escudero), 161 (Brief comm.)
Right atrial lesions to subsidiary pacemaker shift and its function, relationship of extent of: experimental studies on sick sinus syndrome (Ishikawa et al.), 593
heart myxomas, bedside diagnosis of through detection of palpable tumor shocks and audible plops (Massumi), 303
ventricle, response of to exercise, in patients with chronic heart disease (Weiner et al.), 386
ventricular hypertrophy, echocardiographic detection of (Baker et al.), 611
infarction, functional consequences of interventricular septal involvement in: echocardiographic, clinical, and hemodynamic observations (Mikell, Asinger, and Hodges), 393
outflow and great artery anatomy in pulmonary atresia with ventricular septal defect, and in truncus arteriosus, two-dimensional echocardiographic study of (Barron et al.), 281
tachycardia, chronic recurrent, in patients without ischemic heart disease: clinical, hemodynamic, and angiographic findings (Pietras et al.), 357
Risk factors and natural history of myocardial infarction in young adults (Uhl and Farrell), 548
coronary, changes in and long-term prognosis: Effects of cardiac rehabilitation after myocardial infarction (Vermeulen, Lie, and Durrer), 798
relation to in progression and regression of coronary atherosclerosis (Kramer et al.), 134
Rural and urban hospital mortality, survey of in acute myocardial infarction (Morris et al.), 44

S

School children, elevated blood pressure in—prevalence, persistence, and hemodynamics: the Minneapolis Children's Blood Pressure Study (Gillum et al.), 316
Secundum atrial septal defect, isolated, pulmonary hypertension in: high frequency in young patients (Cherian et al.), 952
Selective (beta-1) blockade in congestive cardiomyopathy (Jacob and Hafer), 872 (Letter)
Septal defect(s), atrial and ventricular, radionuclide analysis of right and left ventricular response to exercise in patients with (Peter, Bowyer, and Jones), 428
secundum, isolated, pulmonary hypertension in: high frequency in young patients (Cherian et al.), 952
ventricular, and in truncus arteriosus, two-dimensional echocardiographic study of right ventricular outflow and great artery anatomy in pulmonary atresia with (Barron et al.), 281
involvement, interventricular, in right ventricular infarction, functional consequences of: echocardiographic, clinical, and hemodynamic observations (Mikell, Asinger, and Hodges), 393
motion, abnormal, postoperative (Verheugt), 698 (Letter)
Reply (Kerber and Litchfield), 698
temperature below 20° C, simple adjuncts which maintain during ischemic arrest for coronary artery bypass grafting (Baumgartner et al.), 440
Serial electrocardiograms in the diagnosis of myocardial infarction, assessment of accuracy of (McQueen, Holder, and El-Maraghi), 258
Seropositivity and electrocardiographic abnormalities to *Trypanosoma cruzi* within a rural community in Northeast Brazil, relationship of (Maguire et al.), 287
Serum concentrations and electrocardiographic effects, evaluation of: concurrent use of quinidine and disopyramide (Baker et al.), 12
creatine kinase isoenzyme MB in acute and chronic alcoholism (Eckfeldt, Weir, and Chesler), 1032 (Brief comm.)
myoglobin, total CPK, and CK-MB isoenzyme, roles of in the acute phase of myocardial infarction (Grenadier et al.), 408
Shocks, electrical, direct-current, effects of on systolic and diastolic left ventricular function in dogs (Ditchey and LeWinter), 727
Sick sinus syndrome, comparative evaluation of depressed automaticity in by Holter monitoring and overdrive suppression test (Hattori et al.), 587
experimental studies on: relationship of extent of right atrial lesions to subsidiary pacemaker shift and its function (Ishikawa et al.), 593
Sinus node function, interactions among the critical factors affecting: the quantitative effects of the duration and frequency of atrial pacing and of vagal and sympathetic stimulation upon overdrive suppression of the sinus node (Kerin et al.), 215
quantitative effects of duration and frequency of atrial pacing and of vagal and sympathetic stimulation upon overdrive suppression of: interactions among critical factors affecting sinus node function (Kerin et al.), 215
recovery times following the spontaneous termination of supraventricular tachycardia and following atrial overdrive pacing: a comparison (Gang et al.), 210
Sleep, paradoxical, arrhythmogenic properties of (Saito et al.), 875 (Letter)
states and atrioventricular block, relationship between: studies of arrhythmias by 24-hour polygraphic recordings (Otsuka, Ichimaru, and Yanaga), 934
Smoking, cigarette, effects of on fasting triglyceride, total cholesterol, and HDL-cholesterol in women (Willett et al.), 417
Sodium restriction and weight reduction in overweight borderline hypertensive patients, the independent effects of: nonpharmacologic therapy of hypertension (Gillum et al.), 128
Sotalol, long-term antianginal efficacy of (Milei et al.), 873 (Letter)
Spasm, coronary artery, arterial and coronary sinus catecholamines in the course of spontaneous (Robertson, Bernard, and Robertson), 901
demonstrated by angiography, myocardial infarction in patients with (Cipriano et al.), 542
resistance vessel, versus epicardial spasm in vasotonic angina (Hellstrom), 1045 (Letter)
(Singh), 1046
Reply (Walinsky), 1047
Spondylitis, ankylosing, acute fulminant aortic regurgitation in (Demoulin et al.), 859 (Brief comm.)
Spontaneous reversion on ambulatory ECG in the absence of heart disease, ventricular fibrillation with (Dubner et al.), 691 (Brief comm.)
ST segment changes and extent of coronary atherosclerosis, correlation with ventricular arrhythmia in patients with rest angina (Plotnick, Fisher, and Becker), 32
depression in a simplified index, improving diagnostic accuracy of the exercise test by combining R-wave changes with duration of (Berman et al.), 60
monitoring, ambulatory (Cocco), 342 (Letter)
Reply (Bragg-Remschel, Anderson, and Winkle), 342
ST-T changes in patients with documented coronary heart disease, angina pectoris without (Haïat, Desoutter, and Stoltz), 883
Stenosis, aortic, effort syncope in: electrocardiographic correlate of ischemic conduction disturbance (Croft, Opie, and Kennelly), 153 (Brief comm.)
valve, and LV apical aneurysm and/or rupture: real or potential complications of persistent LV systolic hypertension after acute myocardial infarction (Roberts et al.), 513 (Brief comm.)
mitral, congenital, mitral valve calcification in (Rodan et al.), 514 (Brief comm.)
M-mode and two-dimensional echocardiographic correlation with findings at catheterization and surgery in patients with (Glover et al.), 98

Stimulation, alpha-adrenergic receptor, on ventricular electrical properties in the normal canine heart, effect of (Kowey, Verrier, and Lown), 366
Stress, exercise-induced, significance of platelet-vessel-wall prostaglandin equilibrium during (Mehta, Mehta, and Horalek), 895
test for coronary artery disease, new, physiologic responses to epinephrine infusion, the basis for a (Schecter, Wilson, and Kong), 554
testing, treadmill and acceleration, dysrhythmia comparison in apparently healthy males during and after (Whinnery), 732
Subarachnoid hemorrhage, spontaneous, simulating acute transmural myocardial infarction (Gascón et al.), 511 (Brief comm.)
Subendocardial ischemia, role of in perpetuating myocardial failure in patients with nonischemic congestive cardiomyopathy (Unverferth et al.), 176
Substrate availability, in vivo demonstration of the effects of on myocardial metabolism. III. C-11 palmitate for the noninvasive evaluation of regional myocardial fatty acid metabolism with positron computed tomography (Schelbert et al.), 492
Subtraction ventriculograms, 10-milliliter digital, correlation of compared with standard cineangiograms (Tobis et al.), 946
Sudden coronary death, prevention of ventricular fibrillation by bretylium in a conscious canine model of (Holland, Patterson, and Lucchesi), 711
Supraventricular tachycardia(s), paroxysmal, acute and chronic effects of verapamil in patients with (Sakurai et al.), 619
long-term efficacy of verapamil in treatment of (Lie et al.), 688 (Brief comm.)
spontaneous termination of, sinus node recovery times following and following atrial overdrive pacing: a comparison (Gang et al.), 210
Surgery, dental, minor, metoprolol in the prevention of dysrhythmias during (Ward-Booth et al.), 689 (Brief comm.)
open-heart, in patients with hematologic disorders (Chun, Flannery, and Bowen), 835
report on the hemodynamic data in 29 patients and review of the results of in endomyocardial fibrosis (Cherian et al.), 659
role of in management of endomyocardial fibrosis and clinical profile (Cherian, John, and Abraham), 706
Survival, unusual long-term, following cardiac arrest in hypertrophic cardiomyopathy (Ciró and Maron), 145 (Brief comm.)
Sustained-release procainamide, new, agranulocytosis due to (Berger and Hauser), 1035 (Brief comm.)
Swan-Ganz flow-directed catheter, transseptal left-heart catheterization with (Kotoda et al.), 436
Sympathetic neural activity, coronary dynamics, and vulnerability to ventricular fibrillation during myocardial ischemia and reperfusion, relationship between (Lombardi, Verrier, and Lown), 958
Syncope, effort, in aortic stenosis: electrocardiographic correlate of ischemic conduction disturbance (Croft, Opie, and Kennelly), 153 (Brief comm.)
Systemic hemodynamics and digital heat loss, observations on the relationship between in patients with heart disease (Takano et al.), 830
Systole, atrial, reevaluation of role of to cardiac hemodynamics: evidence for pulmonary venous regurgitation during abnormal atrioventricular sequencing (Naito et al.), 295
Systolic and diastolic left ventricular function in dogs, effects of direct-current electrical shocks on (Ditchey and LeWinter), 727
anterior motion and mitral valve prolapse: a dynamic spectrum (Kessler et al.), 685 (Brief comm.)
blood pressure/end-systolic volume relationship, radionuclide evaluation of: response to pharmacologic agents in patients with coronary artery disease (Slutsky, Watkins, and Costello), 53
hypertension, LV, persistent, real or potential complications of after acute myocardial infarction: aortic valve stenosis and left ventricular apical aneurysm and/or rupture (Roberts et al.), 513 (Brief comm.)
time intervals, evaluation of in patients with angina pectoris (Randazzo et al.), 756

T

Tachyarrhythmias, ventricular, absence of in massive pulmonary embolism (Carbonin et al.), 1036 (Brief comm.)
and disopyramide-induced QT prolongation (Riccioni, Castiglioni, and Bartolomei), 870 (Brief comm.)
electrophysiologic observations on following reperfusion (Fujimoto et al.), 201
Tachycardia(s), chronic recurrent right ventricular, in patients without ischemic heart disease: clinical, hemodynamic, and angiographic findings (Pietras et al.), 357
cycle length and antiarrhythmic drugs, influence of on pacing termination and acceleration of ventricular tachycardia (Naccarelli et al.), 1
junctional, mechanisms of in the Lown-Ganong-Levine syndrome (Ward and Camm), 169
paroxysmal supraventricular, acute and chronic effects of verapamil in patients with (Sakurai et al.), 619
long-term efficacy of verapamil in treatment of (Lie et al.), 688 (Brief comm.)
supraventricular, spontaneous termination of, sinus node recovery times following and following atrial overdrive pacing: a comparison (Gang et al.), 210
ventricular, acceleration of, influence of tachycardia cycle length and antiarrhythmic drugs on pacing termination and (Naccarelli et al.), 1
associated with a left ventricular apex sump aneurysm in an adolescent (Weesner et al.), 334 (Brief comm.)
evaluation of antiarrhythmic efficacy of amiodarone in (Saksena, Rothbart, and Cappello), 165 (Letter)
Reply (Nademanee and Singh), 167
inducible, failure of bretylium to suppress (Greene et al.), 717
lidocaine-resistant, intravenous mexiletine in management of (Santinelli et al.), 680 (Brief comm.)
nonsustained, use of as a guide to antiarrhythmic drug therapy in patients with malignant ventricular arrhythmia (Podrid et al.), 181
polymorphous, amiodarone-induced (Sclarovsky et al.), 6
recurrent sustained, angiographic correlates of in chronic ischemic heart disease (Lam et al.), 928
sustained, electrophysiologic testing of bretylium tosylate in (Bauernfeind et al.), 973
Temperature, septal, below 20° C, simple adjuncts which maintain during ischemic arrest for coronary artery bypass grafting (Baumgartner et al.), 440
10-milliliter digital subtraction ventriculograms, correlation of compared with standard cineangiograms (Tobis et al.), 946
Testing, stress, treadmill and acceleration, dysrhythmia comparison in apparently healthy males during and after (Whinnery), 732
Therapy of hypertension, nonpharmacologic: the independent effects of weight reduction and sodium restriction in overweight borderline hypertensive patients (Gillum et al.), 128
vasodilator, combined, for chronic congestive heart failure (Cody, Franklin, and Laragh), 575
Thrombi, depth localization of and dynamic studies of postoperative thrombosis using the ^{125}I-fibrinogen-sum-coincidence method (Bernstein et al.), 614
Thrombolysis, intracoronary, for acute myocardial infarction, antegrade flow during, reperfusion arrhythmia, a marker of restoration of (Goldberg et al.), 26
Thrombosis, postoperative, dynamic studies of and depth localization of thrombi using the ^{125}I-fibrinogen-sum-coincidence method (Bernstein et al.), 614
Thrombus, elongate, extending from left ventricular apex to outflow tract: a rare complication of myocardial infarction diagnosed by two-dimensional echocardiography (McManus et al.), 327 (Brief comm.)
luminal, extravasated erythrocytes, iron and fibrin in atherosclerotic plaques of coronary arteries in coronary heart disease and their relation to: frequency and significance in 57 necropsy patients and in 2958 five mm segments of 224 major epicardial coronary arteries (Virmani and Roberts), 788
Tic, muscle, intercostal, simulating ECG U waves (Borrello), 1047 (Letter)
Tomographic imaging, computed, differentiation of constrictive pericarditis from restrictive cardiomyopathy by (Isner et al.), 1019

Tomography, positron computed, C-11 palmitate for the noninvasive evaluation of regional myocardial fatty acid metabolism with. III. In vivo demonstration of the effects of substrate availability on myocardial metabolism (Schelbert et al.), 492
Toxicity, drug, in patients receiving digoxin and quinidine (Walker et al.), 1025
lidocaine, mechanisms of (Gilman and Egol), 872 (Letter)
Transient QRS changes in variant angina simulating acute myocardial infarction (Chava), 695 (Brief comm.)
Transluminal coronary angioplasty, percutaneous, role of intraaortic balloon counterpulsation in patients undergoing (Alcan et al.), 527
Transmural myocardial infarction, acute, spontaneous subarachnoid hemorrhage simulating (Gascón et al.), 511 (Brief comm.)
Transseptal left-heart catheterization with Swan-Ganz flow-directed catheter (Kotoda et al.), 436
Transvenous pacing in pediatric patients (Gillette et al.), 843
Treadmill and acceleration stress testing, dysrhythmia comparison in apparently healthy males during and after (Whinnery), 732
Tricuspid and mitral valves, porcine, regurgitant, echo-phonocardiographic features of presenting with musical murmurs (Alam, Garcia, and Goldstein), 456
valve, echocardiographic findings in ruptured chordae tendineae of the (Oliver et al.), 1033 (Brief comm.)
Triglyceride, fasting, total cholesterol, and HDL-cholesterol in women, effects of cigarette smoking on (Willett et al.), 417
Truncus arteriosus and in ventricular septal defect, two-dimensional echocardiographic study of right ventricular outflow and great artery anatomy in pulmonary atresia with (Barron et al.), 281
Trypanosoma cruzi within a rural community in Northeast Brazil, relationship of electrocardiographic abnormalities and seropositivity to (Maguire et al.), 287
Tumor shocks, palpable, and audible plops, bedside diagnosis of right heart myxomas through detection of (Massumi), 303
Two-dimensional and M-mode echocardiographic correlation with findings at catheterization and surgery in patients with mitral stenosis (Glover et al.), 98
echocardiographic assessment of left ventricular papillary muscles in their long axes: a new cross-sectional approach (Tei et al.), 505 (Brief comm.)
study of right ventricular outflow and great artery anatomy in pulmonary atresia with ventricular septal defect, and in truncus arteriosus (Barron et al.), 281
echocardiography, a rare complication of myocardial infarction diagnosed by: elongate thrombus extending from left ventricular apex to outflow tract (McManus et al.), 327 (Brief comm.)

U

U waves, ECG, intercostal muscle tic simulating (Borrello), 1047 (Letter)
Unloading effects of prazosin in patients with chronic aortic regurgitation (Jebavý, Koudelková, and Henzlová), 567
Urban and rural hospital mortality, survey of in acute myocardial infarction (Morris et al.), 44
Urinary catecholamines in pheochromocytoma (Borrello), 697 (Letter)
Reply (Nanji and Blank), 697

V

Vagal and sympathetic stimulation, quantitative effects of duration and frequency of atrial pacing and of upon overdrive suppression of the sinus node: interactions among the critical factors affecting sinus node function (Kerin et al.), 215
Valve(s) calcification, mitral, in congenital mitral stenosis (Rodan et al.), 514 (Brief comm.)
mitral, Björk-Shiley, malfunction of (Bonchek), 521 (Letter)
Reply (Bloor), 521
porcine xenograft, Q fever endocarditis of (Ross, Jacobson, and Muir), 151 (Brief comm.)
Valve—*continued*
prolapse, mitral, and systolic anterior motion: a dynamic spectrum (Kessler et al.), 685 (Brief comm.)
QT interval prolongation and increased plasma catecholamine levels in patients with (Puddu et al.), 422
syndrome, prevalence of ruptured chordae tendineae in the (Grenadier, Keidar, and Palant), 603
regurgitant porcine mitral and tricuspid, presenting with musical murmurs, echo-phonocardiographic features of (Alam, Garcia, and Goldstein), 456
stenosis, aortic, and LV apical aneurysm and/or rupture: real or potential complications of persistent LV systolic hypertension after acute myocardial infarction (Roberts et al.), 513 (Brief comm.)
tricuspid, echocardiographic findings in ruptured chordae tendineae of the (Oliver et al.), 1033 (Brief comm.)
Variant angina, effect of aspirin in large doses on attacks of (Miwa, Kambara, and Kawai), 351
Prinzmetal's: is it transmitted genetically? (Mauritson et al.), 1049
refractory, prazosin therapy for (Tzivoni et al.), 262
transient QRS changes in simulating acute myocardial infarction (Chava), 695 (Brief comm.)
Vasodilation, coronary, effect of on ventricular fibrillation threshold: role of exogenous vasodilators and perfusion conditions (Kralios, Tsagaris, and Kuida), 580
Vasodilator(s) drugs in primary pulmonary hypertension, reassessment of effects of: guidelines for determining a pulmonary vasodilator response (Rich et al.), 119
exogenous, and perfusion conditions, role of: effect of coronary vasodilation on ventricular fibrillation threshold (Kralios, Tsagaris, and Kuida), 580
response, pulmonary, guidelines for determining a: reassessment of effects of vasodilator drugs in primary pulmonary hypertension (Rich et al.), 119
therapy, combined, for chronic congestive heart failure (Cody, Franklin, and Laragh), 575
Vasotonic angina: epicardial versus resistance vessel spasm (Hellstrom), 1045 (Letter)
(Singh), 1046
Reply (Walinsky), 1047
Vector changes, QRS, with rapid reduction of blood pressure in accelerated hypertension (Lee et al.), 1038 (Brief comm.)
Venous flow, pulmonary, detection of by pulsed Doppler echocardiography in children (Pickoff et al.), 826
Ventricle, left, reduced diastolic filling rates of the, relation of ischemia-induced impairment of left ventricular relaxation to (Gewirtz et al.), 72
right, response of to exercise in patients with chronic heart disease (Weiner et al.), 386
Ventricular and atrial septal defects, radionuclide analysis of right and left ventricular response to exercise in patients with (Peter, Bowyer, and Jones), 428
arrhythmia in patients with rest angina: correlation with ST segment changes and extent of coronary atherosclerosis (Plotnick, Fisher, and Becker), 32
malignant, use of nonsustained ventricular tachycardia as a guide to antiarrhythmic drug therapy in patients with (Podrid et al.), 181
contractions, premature, use of flecainide acetate in the treatment of (Abitbol et al.), 227
dysrhythmias, electrophysiologic properties and antiarrhythmic mechanisms of intravenous N-acetylprocainamide in patients with (Sung, Juma, and Saksena), 811
ectopic beats, reduction of with oral acebutolol: a double-blind, randomized crossover study (Lui et al.), 722
electrical properties in the normal canine heart, effect of alpha-adrenergic receptor stimulation on (Kowey, Verrier, and Lown), 366
fibrillation caused by myocardial reperfusion in Prinzmetal's angina (Tzivoni et al.), 323 (Brief comm.)
ischemia-induced, electrophysiologic observations during the spontaneous initiation of (Fujimoto et al.), 189
prevention of by bretylium in a conscious canine model of sudden coronary death (Holland, Patterson, and Luchesi), 711
relationship between the extent of the hypoperfused zone of the myocardium and the occurrence of (Endo et al.), 915

Ventricular fibrillation—*continued*
threshold, effect of coronary vasodilation on: role of exogenous vasodilators and perfusion conditions (Kralios, Tsagaris, and Kuida), 580
vulnerability to, relationship between sympathetic neural activity, coronary dynamics, and during myocardial ischemia and reperfusion (Lombardi, Verrier, and Lown), 958
with spontaneous reversion on ambulatory ECG in the absence of heart disease (Dubner et al.), 691 (Brief comm.)
flutter, spontaneous, and fibrillation during quinidine medication (Koenig and Schinz), 863 (Brief comm.)
function, global and regional, in acute myocardial infarction, effects of nitroprusside-induced reduction of elevated preload and afterload on (Shah et al.), 531
left, postextrasystolic potentiated, effects of propranolol on resting and in patients with coronary artery disease (Friedman et al.), 81
resting and exercise, in patients with hypertrophic cardiomyopathy (Manyari et al.), 980
systolic and diastolic, in dogs, effects of direct-current electrical shocks on (Ditchey and LeWinter), 727
hypertrophy, right, echocardiographic detection of (Baker et al.), 611
infarction, right, functional consequences of interventricular septal involvement in: echocardiographic, clinical, and hemodynamic observations (Mikell, Asinger, and Hodges), 393
muscle, canine, electrophysiologic effects of bretylium on during acute ischemia and reperfusion (Fujimoto et al.), 966
outflow tract obstruction, left, and HLA haplotypes, two forms of hypertrophic cardiomyopathy distinguished by inheritance of (Kishimoto et al.), 988
parasystole and couplets: the concept of longitudinal dissociation in the microreentry pathway (Kinoshita and Kawasaki), 1050
performance, left, during exercise in patients with left bundle branch block: evaluation by gated radionuclide ventriculography (Rowe et al.), 66
relaxation, left, ischemia-induced impairment of: relation to reduced diastolic filling rates of the left ventricle (Gewirtz et al.), 72
response to exercise, right and left, radionuclide analysis of in patients with atrial and ventricular septal defects (Peter, Bowyer, and Jones), 428
septal defect, and in truncus arteriosus, two-dimensional echocardiographic study of right ventricular outflow and great artery anatomy in pulmonary atresia with (Barron et al.), 281
size, left, effect of undisturbed pericardium on and performance during acute volume loading (Crawford, Badke, and Amon), 267
tachyarrhythmias, absence of in massive pulmonary embolism (Carbonin et al.), 1036 (Brief comm.)
and disopyramide-induced QT prolongation (Riccioni, Castiglioni, and Bartolomei), 870 (Brief comm.)
electrophysiologic observations on following reperfusion (Fujimoto et al.), 201
tachycardia, acceleration of, influence of tachycardia cycle length and antiarrhythmic drugs on pacing termination and (Naccarelli et al.), 1
associated with a left ventricular apex sump aneurysm in an adolescent (Weesner et al.), 334 (Brief comm.)
evaluation of antiarrhythmic efficacy of amiodarone in (Saksena, Rothbart, and Cappello), 165 (Letter)
Reply (Nademanee and Singh), 167
inducible, failure of bretylium to suppress (Greene et al.), 717
lidocaine-resistant, intravenous mexiletine in management of (Santinelli et al.), 680 (Brief comm.)
nonsustained, use of as a guide to antiarrhythmic drug therapy in patients with malignant ventricular arrhythmia (Podrid et al.), 181
polymorphous, amiodarone-induced (Sclarovsky et al.), 6
recurrent sustained, angiographic correlates of in chronic ischemic heart disease (Lam et al.), 928
right, chronic recurrent, in patients without ischemic heart disease: clinical, hemodynamic, and angiographic findings (Pietras et al.), 357
Ventricular tachycardia—*continued*
sustained, electrophysiologic testing of bretylium tosylate in (Bauernfeind et al.), 973
Ventriculograms, digital subtraction, 10-milliliter, correlation of compared with standard cineangiograms (Tobis et al.), 946
Ventriculography, radionuclide, gated, evaluation of left ventricular performance during exercise in patients with left bundle branch block by (Rowe et al.), 66
Verapamil, acute and chronic effects of in patients with paroxysmal supraventricular tachycardia (Sakurai et al.), 619
improves exercise capacity in chronic atrial fibrillation: double-blind crossover study (Lang et al.), 820
intravenous, acute respiratory failure following in Duchenne's muscular dystrophy (Zalman et al.), 510 (Brief comm.)
as a method of defining multiple electrophysiologic types: atrioventricular node reentry (Hamer, Peter, and Mandel), 629
is it safe to use to treat a patient who is taking oral verapamil? (Pritchett et al.), 329 (Brief comm.)
long-term efficacy of in treatment of paroxysmal supraventricular tachycardias (Lie et al.), 688 (Brief comm.)
oral, is it safe to use intravenous verapamil to treat a patient who is taking? (Pritchett et al.), 329 (Brief comm.)
Vessel(s), great, d-transposition of, multiple coronary arteriocameral fistulas associated with (Arensman, Schwartz, and Kaplan), 517 (Brief comm.)
spasm, resistance, versus epicardial spasm in vasotonic angina (Hellstrom), 1045 (Letter)
(Singh), 1046
Reply (Walinsky), 1047
wall–platelet prostaglandin equilibrium during exercise-induced stress, significance of (Mehta, Mehta, and Horalek), 895
Vital capacity as a predictor of cardiovascular disease: Framingham Study (Kannel, Hubert, and Lew), 311
Volume, distribution, and disappearance rate of native creatine kinase in humans, direct determination of (Tommasini et al.), 402
loading, acute, effect of the undisturbed pericardium on left ventricular size and performance during (Crawford, Badke, and Amon), 267
overload, sustained, influence of the pericardium on left ventricular diastolic pressure-volume curves in dogs with (Bhargava et al.), 995

W

Weight reduction and sodium restriction in overweight borderline hypertensive patients, the independent effects of: nonpharmacologic therapy of hypertension (Gillum et al.), 128
Wenckebach heart block, intra-atrial, during atrial flutter, a case for (Delbaum, McAnulty, and Kloster), 690 (Brief comm.)
periodicity, "reversed": a manifestation of concealed reentry in the His-Purkinje system (Littmann and Svenson), 154 (Brief comm.)
Whipple's disease, abnormalities of the coronary arteries in (James and Bulkley), 481
Wolff-Parkinson-White syndrome, dynamic QRS variations in: electrocardiographic and clinical observations (Khair, Tristani, and Bamrah), 878

X

Xenograft valves, porcine, Q fever endocarditis of (Ross, Jacobson, and Muir), 151 (Brief comm.)

Y

Young adults and adolescents, blood pressure related echocardiographic changes in (Johnson et al.), 113
myocardial infarction in: risk factors and natural history (Uhl and Farrell), 548
patients, high frequency of pulmonary hypertension in isolated secundum atrial septal defect in (Cherian et al.), 952